

Bibliography
Optical Network Design and Planning, 2nd Edition
By Jane M. Simmons

- [ABGL01] D. Awduche, L. Berger, D. Gan, T. Li, V. Srinivasan, and G. Swallow, “RSVP-TE: Extensions to RSVP for LSP Tunnels,” Internet Engineering Task Force, Request for Comments (RFC) 3209, Dec. 2001.
- [AbMA09] S. Abdallah, M. Maier, and C. Assi, Editors, *Broadband Access Networks: Technologies and Deployments*, New York, NY: Springer, 2009.
- [ACLY00] R. Ahlsweide, N. Cai, S.-Y. R. Li, and R. W. Yeung, “Network information flow,” *IEEE Transactions on Information Theory*, vol. 46, no. 4, pp. 1204-1216, Jul. 2000.
- [ACMW12] J. Ahmed, C. Cavdar, P. Monti, and L. Wosinska, “A dynamic bulk provisioning framework for concurrent optimization in PCE-based WDM networks,” *Journal of Lightwave Technology*, vol. 30, no. 14, pp. 2229-2239, Jul. 15, 2012.
- [ADHN01] G. P. Austin, B. T. Doshi, C. J. Hunt, R. Nagarajan, and M. A. Qureshi, “Fast, scalable, and distributed restoration in general mesh optical networks,” *Bell Labs Technical Journal*, pp. 67-81, Jan.-Jun. 2001.
- [ADZS12] W. T. Anderson, C. R. Davidson, H. Zhang, O. Sinkin, B. Bakshi, A. Lucero, G. Mohs, A. Pilipetskii, and N. S. Bergano, “Coherent friendly dispersion map for direct detection transmission formats,” *Proceedings, Optical Fiber Communication/National Fiber Optic Engineers Conference (OFC/NFOEC'12)*, Los Angeles, CA, Mar. 4-8, 2012, Paper JW2A.54.
- [AEGH10] P. K. Agarwal, A. Efrat, S. K. Ganjugunte, D. Hay, S. Sankararaman, and G. Zussman, “Network vulnerability to single, multiple, and probabilistic physical attacks,” *Proceedings, IEEE Military Communications Conference (MILCOM 2010)*, San Jose, CA, Oct. 31-Nov. 3, 2010, pp. 1824-1829.
- [AFLB13] N. Andriolli, S. Faralli, X. J. M. Leijtens, J. Bolk, and G. Contestabile, “Monolithically integrated all-optical regenerator for constant envelope WDM signals,” *Journal of Lightwave Technology*, vol. 31, no. 2, pp. 322-327, Jan. 15, 2013.
- [AgYH10] F. Agraz, Y. Ye, and J. Han, “RSVP-TE extensions in support of impairment aware routing and wavelength assignment in wavelength switched optical networks (WSONs),” draft-agraz-ccamp-wson-impairment-rsvp-00, Internet Engineering Task Force, Work In Progress, Oct. 2010.
- [AhKK06] S. Ahuja, M. Krunz, and T. Korkmaz, “Optimal path selection for minimizing the differential delay in Ethernet over SONET,” *Computer Networks*, vol. 50, no. 13, pp. 2349-2363, Sep. 15, 2006.
- [AhRK09] S. S. Ahuja, S. Ramasubramanian, and M. M. Krunz, “Single-link failure detection in all-optical networks using monitoring cycles and paths,” *IEEE/ACM Transactions on Networking*, vol. 17, no. 4, pp. 1080-1093, Aug. 2009.
- [AKMC09] S. Azodolmolky, M. Klinkowski, E. Marin, D. Careglio, J. Pareta, and I. Tomkos, “A survey on physical layer impairments aware routing and wavelength assignment algorithms in optical networks,” *Computer Networks*, vol. 53, no. 7, pp. 926-944, May 2009.
- [AlAy99] M. Alanyali and E. Ayanoglu, “Provisioning algorithms for WDM optical networks,” *IEEE/ACM Transactions on Networking*, vol. 7, no. 5, pp. 767-778, Oct. 1999.
- [ANEI12] A. Autenrieth, M. Neugirg, J.-P. Elbers, and M. Gunkel, “Evaluation of IP-over-DWDM core network architectures with CD-ROADMs using IP protection in combination with optical restoration,” *Proceedings, International Conference on Transparent Optical Networks (ICTON'12)*, United Kingdom, Jul. 2-5, 2012, Paper Tu.A2.1.
- [ANEJ11] S. Azodolmolky, R. Nejabati, E. Escalona, R. Jayakumar, N. Efstatiou, and D. Simeonidou, “Integrated OpenFlow-GMPLS control plane: An overlay model for software defined packet over optical networks,” *Proceedings, European Conference on Optical Communication (ECOC'11)*, Geneva, Switzerland, Sep. 18-22, 2011, Paper Tu.S.5.K.5.
- [Angel12] M. Angelou, S. Azodolmolky, I. Tomkos, J. Perelló, S. Spadaro, D. Careglio, K. Manousakis, P. Kokkinos, E. Varvarigos, D. Staessens, D. Colle, C. V. Saradhi, M. Gagnaire, and Y. Ye, “Benefits of implementing a dynamic impairment-aware optical network: Results of EU project DICONET,” *IEEE Communications Magazine*, vol. 50, no. 8, pp. 79-88, Aug. 2012.
- [ATT10] AT&T Product Brief, “AT&T Optical Mesh Service – OMS,” Jul. 1, 2010, Available: www.business.att.com/binary/content/productbrochures/PB_OMS_20676.pdf
- [AYDA03] C. Assi, Y. Ye, S. Dixit, and M. Ali, “Control and management protocols for survivable optical mesh networks,” *Journal of Lightwave Technology*, vol. 21, no. 11, pp. 2638-2651, Nov. 2003.
- [AYTM09] D. Andrei, H.-H. Yen, M. Tornatore, C. U. Martel, and B. Mukherjee, “Integrated provisioning of sliding scheduled services over WDM optical networks,” *Journal of Optical Communications and Networking*, vol. 1, no. 2, pp. A94-A105, Jul. 2009.
- [Azod11] S. Azodolmolky, J. Perelló, M. Angelou, F. Agraz, L. Velasco, S. Spadaro, Y. Pointurier, A. Francescon, C. V. Saradhi, P. Kokkinos, E. Varvarigos, S. Al Zahr, M. Gagnaire, M. Gunkel, D. Klonidis, and I. Tomkos, “Experimental demonstration of an impairment aware network planning and operation tool for transparent/translucent optical networks,” *Journal of Lightwave Technology*, vol. 29, no. 4, pp. 439-448, Feb. 15, 2011.
- [Bach11] A. Bach, “The financial industry’s race to zero latency and terabit networking,” *Proceedings, Optical Fiber Communication/National Fiber Optic Engineers Conference (OFC/NFOEC'11)*, Los Angeles, CA, Mar. 6-10, 2011, Service Provider Summit Keynote Address.
- [BaGe06] R. Batcheller and O. Gerstel, “Cost effective architectures for core transport networks,” *Proceedings, Optical Fiber Communication/National Fiber Optic Engineers Conference (OFC/NFOEC'06)*, Anaheim, CA, Mar. 5-10, 2006, Paper PDP42.
- [BaHu96] R. A. Barry and P. A. Humblet, “Models of blocking probability in all-optical networks with and without wavelength changers,” *IEEE Journal of Selected Areas in Communications*, vol. 14, no. 5, pp. 858-867, Jun. 1996.
- [BaKi02] P. Bayvel and R. Killey, “Nonlinear optical effects in WDM transmission,” in *Optical Fiber Telecommunications IV B*, I. Kaminow and T. Li, Editors, San Diego: Academic Press, 2002, pp. 611-641.

- [BaLe02] N. Barakat and A. Leon-Garcia, "An analytic model for predicting the locations and frequencies of 3R regenerations in all-optical wavelength-routed WDM networks," *Proceedings, IEEE International Conference on Communications (ICC'02)*, New York, NY, Apr. 28-May 2, 2002, vol. 5, pp. 2812-2816.
- [BaMu96] D. Banerjee and B. Mukherjee, "A practical approach for routing and wavelength assignment in large wavelength-routed optical networks," *IEEE Journal of Selected Areas in Communications*, vol. 14, no. 5, pp. 903-908, Jun. 1996.
- [Batt07] L. Battestilli, A. Hutanu, G. Karmous-Edwards, D. S. Katz, J. MacLaren, J. Mambretti, J. H. Moore, S.-J. Park, H. G. Perros, S. Sundar, S. Tanwir, S. R. Thorpe, and Y. Xin, "EnLIGHTened computing: An architecture for co-allocating network, compute, and other grid resources for high-end applications," in *International Symposium on High Capacity Optical Networks and Enabling Technologies (HONET 2007)*, Dubai, United Arab Emirates, Nov. 18-20, 2007, pp. 1-8.
- [BBFL10] M. Bocci, S. Bryant, D. Frost, L. Levrau, and L. Berger, "A framework for MPLS in transport networks," draft-ietf-mpls-tp-framework-12, Internet Engineering Task Force, Work In Progress, May 2010.
- [BBSB09] A. Bononi, M. Bertolini, P. Serena, and G. Bellotti, "Cross-phase modulation induced by OOK channels on higher-rate DQPSK and coherent QPSK channels," *Journal of Lightwave Technology*, vol. 27, no. 18, pp. 3974-3983, Sep. 15, 2009.
- [BCCP10] G. Bosco, A. Carena, V. Curri, P. Poggiolini, and F. Forghieri, "Performance limits of Nyquist-WDM and CO-OFDM in high-speed PM-QPSK systems," *IEEE Photonics Technology Letters*, vol. 22, no. 15, pp. 1129-1131, Aug. 1, 2010.
- [BCRV06] G. Bernstein, D. Caviglia, R. Rabbat, and H. Van Helvoort, "VCAT-LCAS in a clamshell," *IEEE Communications Magazine*, vol. 44, no. 5, pp. 34-36, May 2006.
- [BELR07] E. Bouillet, G. Ellinas, J.-F. Labourdette, and R. Ramamurthy, *Path Routing in Mesh Optical Networks*, West Sussex, England: John Wiley & Sons Ltd., 2007.
- [Berg03] L. Berger, Editor, "Generalized Multi-Protocol Label Switching (GMPLS) Signaling Functional Description," Internet Engineering Task Force, Request for Comments (RFC) 3471, Jan. 2003.
- [BERS03] G. Bernstein, B. Rajagopalan, and D. Saha, *Optical Network Control: Architecture, Protocols, and Standards*, Reading, MA: Addison-Wesley Professional, 2003.
- [BFAZ06] G. Baxter, S. Frisken, D. Abakoumov, H. Zhou, I. Clarke, A. Bartos, and S. Poole, "Highly programmable wavelength selective switch based on liquid crystal on silicon switching elements," *Proceedings, Optical Fiber Communication/National Fiber Optic Engineers Conference (OFC/NFOEC'06)*, Anaheim, CA, Mar. 5-10, 2006, Paper OTuF2.
- [BGPV12] L. Badger, T. Grance, R. Patt-Corner, and J. Voas, "Cloud Computing Synopsis and Recommendations," National Institute of Standards and Technology (NIST), Special Publication 800-146, May 2012.
- [Bhan99] R. Bhandari, *Survivable Networks: Algorithms for Diverse Routing*, Boston, MA: Kluwer Academic Publishers, 1999.
- [BhSF01] N. M. Bhide, K. M. Sivalingam, and T. Fabry-Asztalos, "Routing mechanisms employing adaptive weight functions for shortest path routing in optical WDM networks," *Photonic Network Communications*, vol. 3, no. 3, pp. 227-236, Jul. 2001.
- [BJJL11] I. Baldine, A. W. Jackson, J. Jacob, W. E. Leland, J. H. Lowry, W. C. Milliken, P. P. Pal, S. Ramanathan, K. Rauschenbach, C. A. Santivanez, and D. M. Wood, "PHAROS: An architecture for next-generation core optical networks," in *Next-Generation Internet: Architectures and Protocols*, B. Ramamurthy, G. N. Rouskas, and K. M. Sivalingam, Editors: Cambridge University Press, 2011, pp. 154-178.
- [BKOV12] A. Beshir, F. Kuipers, A. Orda, and P. Van Mieghem, "Survivable routing and regenerator placement in optical networks," *4th International Workshop on Reliable Networks Design and Modeling (RNDM 2012)*, St. Petersburg, Russia, Oct. 3-5, 2012.
- [BLRC02] E. Bouillet, J.-F. Labourdette, R. Ramamurthy, and S. Chaudhuri, "Enhanced algorithm cost model to control tradeoffs in provisioning shared mesh restored lightpaths," *Proceedings, Optical Fiber Communication (OFC'02)*, Anaheim, CA, Mar. 17-22, 2002, Paper ThW2.
- [Blum04] D. J. Blumenthal, "Optical packet switching," *Proceedings, 17th Annual Meeting of the IEEE LEOS*, Puerto Rico, Nov. 7-11, 2004, Paper ThU1.
- [BoCM07] G. Bogliolo, V. Curri, and M. Mellia, "Considering transmission impairments in RWA problem: Greedy and metaheuristic solutions," *Proceedings, Optical Fiber Communication/National Fiber Optic Engineers Conference (OFC/NFOEC'07)*, Anaheim, CA, Mar. 25-29, 2007, Paper JWA69.
- [BoSt04] C. Bouras and K. Stamos, "An adaptive admission control algorithm for bandwidth brokers," *Proceedings, Third IEEE International Symposium on Network Computing and Applications (NCA 2004)*, Cambridge, MA, Aug. 30-Sep. 1, 2004.
- [BouUh98] A. Boroujerdi and J. Uhlmann, "An efficient algorithm for computing least cost paths with turn constraints," *Information Processing Letters*, vol. 67, pp. 317-321, 1998.
- [BRCM12] O. Bertran-Pardo, J. Renaudier, G. Charlet, H. Mardoyan, P. Tran, M. Salsi, and S. Bigo, "Overlaying 10 Gb/s legacy optical networks with 40 and 100 Gb/s coherent terminals," *Journal of Lightwave Technology*, vol. 30, no. 14, pp. 2367-2375, Jul. 15, 2012.
- [Brel79] D. Brelaz, "New methods to color the vertices of a graph," *Communications of the ACM*, vol. 22, no. 4, pp. 251-256, Apr. 1979.
- [BrKe73] C. Bron and J. Kerbosch, "Algorithm 457: finding all cliques of an undirected graph," *Communications of the ACM*, vol. 16, no. 9, pp. 575-577, Sep. 1973.
- [BrVF09] R. Bradford, J. P. Vasseur, and A. Farrel, "Preserving topology confidentiality in inter-domain path computation using a path-key-based mechanism," Internet Engineering Task Force, Request for Comments (RFC) 5520, Apr. 2009.
- [BSAL02] A. Boskovic, M. Sharma, N. Antoniades, and M. Lee, "Broadcast and select OADM nodes application and performance trade-offs," *Proceedings, Optical Fiber Communication (OFC'02)*, Anaheim, CA, Mar. 17-22, 2002, Paper TuX2.
- [BSBS08] J. Berthold, A. A. M. Saleh, L. Blair, and J. M. Simmons, "Optical networking: Past, present, and future," *Journal of Lightwave Technology*, vol. 26, no. 9, pp. 1104-1118, May 1, 2008.
- [BSCF13] B. G. Bathula, R. K. Sinha, A. L. Chiu, M. D. Feuer, G. Li, S. L. Woodward, W. Zhang, R. Doverspike, P. Magill, and K. Bergman, "Cost optimization using regenerator site concentration and routing in ROADM networks," *Proceedings, 9th International Conference on Design of Reliable Communication Networks (DRCN'13)*, Budapest, Hungary, Mar. 4-7, 2013, pp. 139-147.

- [BSRK09] A. Bocoi, M. Schuster, F. Rambach, M. Kiese, C.-A. Bunge, and B. Spinnler, "Reach-dependent capacity in optical networks enabled by OFDM," *Proceedings, Optical Fiber Communication/National Fiber Optic Engineers Conference (OFC/NFOEC'09)*, San Diego, CA, Mar. 22-26, 2009, Paper OMQ4.
- [Busi00] Business Wire, "Broadwing Communications to use Corvis technology for enhanced wavelength services," May 10, 2000. Available at: <http://www.thefreelibrary.com/Business+Wire/2000/May/10-p53>.
- [BuWW03] P. Bullock, C. Ward, and Q. Wang, "Optimizing wavelength grouping granularity for optical add-drop network architectures," *Proceedings, Optical Fiber Communication (OFC'03)*, Atlanta, GA, Mar. 23-28, 2003, Paper WH2.
- [CaAQ04] X. Cao, V. Anand, and C. Qiao, "Multi-layer versus single-layer optical cross-connect architectures for waveband switching," *Proceedings, IEEE INFOCOM 2004*, Hong Kong, Mar. 7-11, 2004, vol. 3, pp. 1830-1840.
- [CACH04] H. S. Carrer, D. E. Crivelli, and M. R. Hueda, "Maximum likelihood sequence estimation receivers for DWDM lightwave systems," *Proceedings, IEEE Global Telecommunications Conference (GLOBECOM'04)*, Dallas, TX, Nov. 29-Dec. 3, 2004, vol. 2, pp. 1005-1010.
- [CCCD12] A. L. Chiu, G. Choudhury, G. Clapp, R. Doverspike, M. Feuer, J. W. Gannett, J. Jackel, G. T. Kim, J. G. Klincewicz, T. J. Kwon, G. Li, P. Magill, J. M. Simmons, R. A. Skoog, J. Strand, A. Von Lehmen, B. J. Wilson, S. L. Woodward, and D. Xu, "Architectures and protocols for capacity efficient, highly dynamic and highly resilient core networks," *Journal of Optical Communications and Networking*, vol. 4, no. 1, pp. 1-14, Jan. 2012.
- [CCFS11] A. L. Chiu, G. Choudhury, M. D. Feuer, J. L. Strand, and S. L. Woodward, "Integrated restoration for next-generation IP-over-optical networks," *Journal of Lightwave Technology*, vol. 29, no. 6, pp. 916-924, Mar. 15, 2011.
- [CDLS09] A. Chiu, R. Doverspike, G. Li, and J. Strand, "Restoration signaling protocol design for next-generation optical network," *Proceedings, Optical Fiber Communication/National Fiber Optic Engineers Conference (OFC/NFOEC'09)*, San Diego, CA, Mar. 22-26, 2009, Paper NTuC2.
- [ChAN03] C. Chigan, G. W. Atkinson, and R. Nagarajan, "Cost effectiveness of joint multilayer protection in packet-over-optical networks," *Journal of Lightwave Technology*, vol. 21, no. 11, pp. 2694-2704, Nov. 2003.
- [Chan12] V. W. S. Chan, "Optical flow switching networks," *Proceedings of the IEEE*, vol. 100, no. 5, pp. 1079-1091, May 2012.
- [ChCF04] T. Y. Chow, F. Chudak, and A. M. Ffrench, "Fast optical layer mesh protection using pre-cross-connected trails," *IEEE/ACM Transactions on Networking*, vol. 12, no. 3, pp. 539-548, Jun. 2004.
- [ChGK89] I. Chlamtac, A. Ganz, and G. Karmi, "Purely optical networks for terabit communication," *Proceedings, IEEE INFOCOM 1989*, Ottawa, ON, Apr. 23-27, 1989, vol. 3, pp. 887-896.
- [ChGn06] S. Chandrasekhar and A. H. Gnauck, "Performance of MLSE receiver in a dispersion-managed multispans experiment at 10.7 Gb/s under nonlinear transmission," *IEEE Photonics Technology Letters*, vol. 18, no. 23, pp. 2448-2450, Dec. 1, 2006.
- [ChKC06] D. B. Chua, E. D. Kolaczyk, and M. Crovella, "Network kriging," *IEEE Journal on Selected Areas in Communications*, vol. 24, no. 12, pp. 2263-2272, Dec. 2006.
- [ChLH06] A. L. Chiu, G. Li, and D.-M. Hwang, "New problems on wavelength assignment in ULH networks," *Proceedings, Optical Fiber Communication/National Fiber Optic Engineers Conference (OFC/NFOEC'06)*, Anaheim, CA, Mar. 5-10, 2006, Paper NThH2.
- [ChLZ03] X. Chu, B. Li, and Z. Zhang, "A dynamic RWA algorithm in a wavelength-routed all-optical network with wavelength converters," *Proceedings, IEEE INFOCOM 2003*, San Francisco, CA, Mar. 30-Apr. 3, 2003, vol. 3, pp. 1795-1804.
- [ChMN12] L. Chiaravaggio, M. Mellia, and F. Neri, "Minimizing ISP network energy cost: Formulation and solutions," *IEEE/ACM Transactions on Networking*, vol. 20, no. 2, pp. 463-476, Apr. 2012.
- [ChMV08] K. Christodoulopoulos, K. Manousakis, and E. Varvarigos, "Comparison of routing and wavelength assignment algorithms in WDM networks," *Proceedings, IEEE Global Communications Conference (GLOBECOM'08)*, New Orleans, LA, Nov. 30-Dec. 4, 2008.
- [ChMV10] K. Christodoulopoulos, K. Manousakis, and E. Varvarigos, "Offline routing and wavelength assignment in transparent WDM Networks," *IEEE/ACM Transactions on Networking*, vol. 18, no. 5, pp. 1557-1570, Oct. 2010.
- [ChMV11] K. Christodoulopoulos, K. Manousakis, and E. Varvarigos, "Reach adapting algorithms for mixed line rate WDM transport networks," *Journal of Lightwave Technology*, vol. 29, no. 21, pp. 3350-3363, Nov. 1, 2011.
- [ChOM10] F. Chang, K. Onohara, and T. Mizuochi, "Forward error correction for 100 G transport networks," *IEEE Communications Magazine*, vol. 48, no. 3, pp. S48-S55, Mar. 2010.
- [Choy02] L. Choy, "Virtual concatenation tutorial: Enhancing SONET/SDH networks for data transport," *Journal of Optical Networking*, vol. 1, no. 1, pp. 18-29, Jan. 2002.
- [ChQY04] Y. Chen, C. Qiao, and X. Yu, "Optical burst switching: A new area in optical networking research," *IEEE Network*, vol. 18, no. 3, pp. 16-23, May/Jun. 2004.
- [ChRD08] B. Chen, G. N. Rouskas, and R. Dutta, "On hierarchical traffic grooming in WDM networks," *IEEE/ACM Transactions on Networking*, vol. 16, no. 5, pp. 1226-1238, Oct. 2008.
- [ChRD10] B. Chen, G. N. Rouskas, and R. Dutta, "Clustering methods for hierarchical traffic grooming in large scale mesh WDM networks," *Journal of Optical Communications and Networking*, vol. 2, no. 8, pp. 502-514, Aug. 2010.
- [ChSc07] M. W. Chbat and H.-J. Schmidtke, "Falling boundaries from metro to ULH optical transport equipment," *Proceedings, Optical Fiber Communication/National Fiber Optic Engineers Conference (OFC/NFOEC'07)*, Anaheim, CA, Mar. 25-29, 2007, Paper NTuA3.
- [ChTV11] K. Christodoulopoulos, I. Tomkos, and E. A. Varvarigos, "Elastic bandwidth allocation in flexible OFDM-based optical networks," *Journal of Lightwave Technology*, vol. 29, no. 9, pp. 1354-1366, May 1, 2011.
- [ChTV13] K. Christodoulopoulos, I. Tomkos, and E. Varvarigos, "Time-varying spectrum allocation policies and blocking analysis in flexible optical networks," *IEEE Journal on Selected Areas in Communications*, vol. 30, no. 1, pp. 1-13, Jan. 2013.

- [ChVo10] N. Charbonneau and V. M. Vokkarane, "Tabu search meta-heuristic for static manycast routing and wavelength assignment over wavelength-routed optical WDM networks," *Proceedings, IEEE International Conference on Communications (ICC'10)*, Cape Town, South Africa, May 23-27, 2010.
- [ChVo12] N. Charbonneau and V. M. Vokkarane, "A survey of advance reservation routing and wavelength assignment in wavelength-routed WDM networks," *IEEE Communications Surveys & Tutorials*, vol. 14, no. 4, pp. 1037-1064, Fourth Quarter, 2012.
- [ChWM06] V. W. S. Chan, G. Weichenberg, and M. Médard, "Optical flow switching," *Workshop on Optical Burst Switching (WOBS)*, San Jose, CA, Oct. 2006.
- [ChYu94] K. Chan and T. P. Yum, "Analysis of least congested path routing in WDM lightwave networks," *Proceedings, IEEE INFOCOM 1994*, Toronto, Ontario, Jun. 12-16, 1994, vol. 2, pp. 962-969.
- [Ciar12] E. Ciaramella, "Wavelength conversion and all-optical regeneration: Achievements and open issues," *Journal of Lightwave Technology*, vol. 30, no. 4, pp. 572-582, Feb. 15, 2012.
- [Cisc13] Cisco Visual Networking Index: Forecast and Methodology, 2012–2017, White Paper, May 29, 2013.
- [CJDD09] X. Chen, A. Jukan, A. C. Drummond, and N. L. S. da Fonseca, "A multipath routing mechanism in optical networks with extremely high bandwidth requests," *Proceedings, IEEE Global Communications Conference (GLOBECOM'09)*, Honolulu, HI, Nov. 30-Dec. 4, 2009.
- [CKMV09] K. Christodoulopoulos, P. Kokkinos, K. Manousakis, and E. A. Varvarigos, "Cross layer RWA in WDM networks: Is the added complexity useful or a burden?" *Proceedings, International Conference on Transparent Optical Networks (ICTON'09)*, Ponta Delgada, Portugal, Jun. 28-Jul. 2, 2009, Paper Tu.A3.3.
- [ClGr02] M. Clouqueur and W. D. Grover, "Mesh-restorable networks with complete dual failure restorability and with selectively enhanced dual-failure restorability properties," *Proceedings, SPIE OptiComm 2002: Optical Networking and Communications*, Boston, MA, Jul. 29-Aug. 2, 2002, vol. 4874, pp. 1-12.
- [CLRS09] T. H. Cormen, C. E. Leiserson, R. L. Rivest, and C. Stein, *Introduction to Algorithms*, 3rd Edition, Cambridge, MA: MIT Press, 2009.
- [CLYA13] X. Chen, A. Li, J. Ye, A. Al Amin, and W. Shieh, "Demonstration of few-mode compatible optical add/drop multiplexer for mode-division multiplexed superchannel," *Journal of Lightwave Technology*, vol. 31, no. 4, pp. 641-647, Feb. 15, 2013.
- [CLZP09] S. Chandrasekhar, X. Liu, B. Zhu, and D. W. Peckham, "Transmission of a 1.2-Tb/s 24-carrier no-guard-interval coherent OFDM superchannel over 7200-km of ultra-large-area fiber," *Proceedings, European Conference on Optical Communication (ECOC'09)*, Vienna, Austria, Sep. 20-24, 2009, Paper PD2.6.
- [CMSP04] T. J. Carpenter, R. C. Menendez, D. F. Shallcross, J. W. Gannett, J. Jackel, and A. C. Von Lehmen, "Cost-conscious impairment-aware routing," *Proceedings, Optical Fiber Communication (OFC'04)*, Los Angeles, CA, Feb. 22-27, 2004, Paper MF88.
- [CoCo11] P. Colbourne and B. Collings, "ROADM switching technologies," *Proceedings, Optical Fiber Communication/National Fiber Optic Engineers Conference (OFC/NFOEC'11)*, Los Angeles, CA, Mar. 6-10, 2011, Paper OTuD1.
- [Coll09] B. C. Collings, "Wavelength selectable switches and future photonic network applications," *International Conference on Photonics in Switching*, Pisa, Italy, Sep. 15-19, 2009.
- [Conr02] J. Conradi, "Bandwidth-efficient modulation formats for digital fiber transmission systems," in *Optical Fiber Telecommunications IV B*, I. Kaminow and T. Li, Editors, San Diego: Academic Press, 2002, pp. 862-901.
- [Conw11] A. E. Conway, "Fast simulation of service availability in mesh networks with dynamic path restoration," *IEEE/ACM Transactions on Networking*, vol. 19, no. 1, pp. 92-101, Feb. 2011.
- [CPMB13] F. Cugini, F. Paolucci, G. Meloni, G. Berrettini, M. Secondini, F. Fresi, N. Sambo, L. Poti, and P. Castoldi, "Push-pull defragmentation without traffic disruption in flexible grid optical networks," *Journal of Lightwave Technology*, vol. 31, no. 1, pp. 125-133, Jan. 1, 2013.
- [CRBT09] G. Charlet, J. Renaudier, P. Brindel, P. Tran, H. Mardoyan, O. Bertran Pardo, M. Salsi, and S. Bigo, "Performance comparison of DPSK, P-DPSK, RZ-DQPSK and coherent PDM-QPSK at 40Gb/s over a terrestrial link," *Proceedings, Optical Fiber Communication/National Fiber Optic Engineers Conference (OFC/NFOEC'09)*, San Diego, CA, Mar. 22-26, 2009, Paper JWA40.
- [CrLi08] K. Croussore and G. Li, "Phase and amplitude regeneration of differential phase-shift keyed signals using phase-sensitive amplification," *IEEE Journal of Selected Topics in Quantum Electronics*, vol. 14, no. 3, pp. 648-658, May/Jun. 2008.
- [CSAG08] F. Cugini, N. Sambo, N. Andriolli, A. Giorgetti, L. Valcarenghi, P. Castoldi, E. Le Rouzic, and J. Poirrier, "Enhancing GMPLS signaling protocol for encompassing quality of transmission (QoT) in all-optical networks," *Journal of Lightwave Technology*, vol. 26, no. 19, pp. 3318-3328, Oct. 1, 2008.
- [CSGJ03] T. Carpenter, D. Shallcross, J. Gannett, J. Jackel, and A. Von Lehmen, "Maximizing the transparency advantage in optical networks," *Proceedings, Optical Fiber Communication (OFC'03)*, Atlanta, GA, Mar. 23-28, 2003, Paper FA2.
- [CXBT02] N. Chi, L. Xu, K. S. Berg, T. Tokle, and P. Jeppesen, "All-optical wavelength conversion and multichannel 2R regeneration based on highly nonlinear dispersion-imbalanced loop mirror," *IEEE Photonics Technology Letters*, vol. 14, no. 11, pp. 1581-1583, Nov. 2002.
- [DaPM12] S. Das, G. Parulkar, and N. McKeown, "Why OpenFlow/SDN can succeed where GMPLS failed," *Proceedings, European Conference on Optical Communication (ECOC'12)*, Amsterdam, The Netherlands, Sep. 16-20, 2012, Paper Tu.I.D.1.
- [DBSJ11] C. Develder, J. Buysse, A. Shaikh, B. Jaumard, M. De Leenheer, and B. Dhoedt, "Survivable optical grid dimensioning: Anycast routing with server and network failure protection," *IEEE International Conference on Communications (ICC'11)*, Kyoto, Japan, Jun. 5-9, 2011.
- [DDDP12] C. Develder, M. De Leenheer, B. Dhoedt, M. Pickavet, D. Colle, F. De Turck, and P. Demeester, "Optical networks for grid and cloud computing applications," *Proceedings of the IEEE*, vol. 100, no. 5, pp. 1149-1167, May 2012.
- [DDHH99] B. T. Doshi, S. Dravida, P. Harshavardhana, O. Hauser, and Y. Wang, "Optical network design and restoration," *Bell Labs Technical Journal*, pp. 58-84, Jan.–Mar. 1999.

- [DDMN03] T. DeFanti, C. de Laat, J. Mambretti, K. Neggers, and B. St. Arnaud, "Translight: A global-scale lambdagrid for e-science," *Communications of the ACM*, vol. 46, no. 11, pp. 34–41, Nov. 2003.
- [DeMi13] I. de Miguel, R. J. Durán, T. Jiménez, N. Fernández, J. C. Aguado, R. M. Lorenzo, A. Caballero, I. T. Monroy, Y. Ye, A. Tymecki, I. Tomkos, Marianna Angelou, D. Klonidis, A. Francescon, D. Siracusa, and E. Salvadori, "Cognitive dynamic optical networks," *Journal of Optical Communications and Networking*, vol. 5, no. 10, pp. A107-A118, Oct. 2013.
- [Desu94] E. Desurvire, *Erbium-Doped Fiber Amplifiers: Principles and Applications*, New York, NY: John Wiley & Sons, Inc., 1994.
- [DGGM02] N. G. Duffield, P. Goyal, A. Greenberg, P. Mishra, K. K. Ramakrishnan, and J. E. van der Merwe, "Resource management with hoses: Point-to-cloud services for virtual private networks," *IEEE/ACM Transactions on Networking*, vol. 10, no. 5, pp. 679-692, Oct. 2002.
- [DjVa06] I. B. Djordjevic and B. Vasic, "Orthogonal frequency division multiplexing for high-speed optical transmission," *Optics Express*, vol. 14, no. 9, pp. 3767-3775, May 1, 2006.
- [DoOk06] C. R. Doerr and K. Okamoto, "Advances in silica planar lightwave circuits," *Journal of Lightwave Technology*, vol. 24, no. 12, pp. 4763-4789, Dec. 2006.
- [Dosa07] G. Dósa, "The tight bound of first fit decreasing bin-packing algorithm is $\text{FFD}(I) \leq 11/9\text{OPT}(I) + 6/9$," *International Symposium on Combinatorics, Algorithms, Probabilistic and Experimental Methodologies*, Hangzhou, China, Apr. 7-9, 2007, pp. 1-11.
- [DSST99] R. Doverspike, G. Sahin, J. Strand, and R. Tkach, "Fast restoration in a mesh network of optical cross-connects," *Proceedings, Optical Fiber Communication (OFC'99)*, San Diego, CA, Feb. 21–26, 1999, vol. 1, pp. 170-172.
- [DuKR08] R. Dutta, A. E. Kamal, and G. N. Rouskas, Editors, *Traffic Grooming for Optical Networks: Foundations, Techniques and Frontiers*, New York, NY: Springer, 2008.
- [Dura12] R. J. Durán, I. Rodríguez, N. Fernández, I. de Miguel, N. Merayo, P. Fernández, J. C. Aguado, T. Jiménez, R. M. Lorenzo, and E.J. Abril, "Performance comparison of methods to solve the routing and spectrum allocation problem," *Proceedings, International Conference on Transparent Optical Networks (ICTON'12)*, United Kingdom, Jul. 2-5, 2012, Paper Mo.C2.4.
- [DuRo02] R. Dutta and G. N. Rouskas, "Traffic grooming in WDM networks: Past and future," *IEEE Network*, vol. 16, no. 6, pp. 46-56, Nov./Dec. 2002.
- [DXMK12] O. Diaz, F. Xu, N. Min-Allah, M. Khodeir, M. Peng, S. Khan, and N. Ghani, "Network survivability for multiple probabilistic failures," *IEEE Communications Letters*, vol. 16, no. 8, 1320-1323, Aug. 2012.
- [EBRL02] G. Ellinas, E. Bouillet, R. Ramamurthy, J.-F. Labourdette, S. Chaudhuri, and K. Bala, "Restoration in layered architectures with a WDM mesh optical layer," *International Engineering Consortium (IEC) Annual Review of Communications*, vol. 55, Jun. 2002.
- [EBRL03] G. Ellinas, E. Bouillet, R. Ramamurthy, J.-F. Labourdette, S. Chaudhuri, and K. Bala, "Routing and restoration architectures in mesh optical networks," *Optical Networks Magazine*, vol. 4, no. 1, pp. 91-106, Jan./Feb. 2003.
- [EiLS11] M. I. Eiger, H. Luss, and D. F. Shallcross, "Network restoration under a single link or node failure using preconfigured virtual cycles," *Telecommunication Systems*, vol. 46, no. 1, pp. 17-30, Jan. 2011.
- [EKWF10] R.-J. Essiambre, G. Kramer, P. J. Winzer, G. J. Foschini, and B. Goebel, "Capacity limits of optical fiber networks," *Journal of Lightwave Technology*, vol. 28, no. 4, pp. 662-701, Feb. 15, 2010.
- [ElBa06] T. S. El-Bawab, Editor, *Optical Switching*, New York, NY: Springer, 2006.
- [Elby09a] S. Elby, "Bandwidth flexibility and high availability - and return on invested capital," *Proceedings, Optical Fiber Communication/National Fiber Optic Engineers Conference (OFC/NFOEC'09)*, San Diego, CA, Mar. 22-26, 2009, Service Provider Summit.
- [Elby09b] S. Elby, "The future Internet - a service provider's long term view," *IEEE/LEOS Summer Topicals Meeting*, Newport Beach, CA, Jul. 20-22, 2009, pp. 137-138.
- [ELST12] V. Eramo, M. Listanti, R. Sabella, and F. Testa, "Definition and performance evaluation of a low-cost/high-capacity scalable integrated OTN/WDM switch," *Journal of Optical Communications and Networking*, vol. 4, no. 12, pp. 1033-1045, Dec. 2012.
- [EMSW03] A. Elwalid, D. Mitra, I. Saniee, and I. Widjaja, "Routing and protection in GMPLS networks: From shortest paths to optimized designs," *Journal of Lightwave Technology*, vol. 21, no. 11, pp. 2828-2838, Nov. 2003.
- [Epps94] D. Eppstein, "Finding the k shortest paths," *Proceedings, 35th Annual Symposium on Foundations of Computer Science*, Santa Fe, NM, Nov. 20-22, 1994, pp. 154-165.
- [ESCJ08] E. Escalona, S. Spadaro, J. Comellas, and G. Junyent, "Advance reservations for service-aware GMPLS-based optical networks," *Computer Networks*, vol. 52, no. 10, pp. 1938–1950, Jul. 2008.
- [EsMe12] R.-J. Essiambre and A. Mecozzi, "Capacity limits in single-mode fiber and scaling for spatial multiplexing," *Proceedings, Optical Fiber Communication/National Fiber Optic Engineers Conference (OFC/NFOEC'12)*, Los Angeles, CA, Mar. 4-8, 2012, Paper OW3D.1.
- [FaSk13] A. M. Fagertun and B. Skjoldstrup, "Flexible transport network expansion via open WDM interfaces," *Proceedings, International Conference on Computing, Networking and Communications (ICNC'13)*, San Diego, CA, Jan. 28-31, 2013.
- [FaVA06] A. Farrel, J.-P. Vasseur, and J. Ash, "A Path Computation Element (PCE)-Based Architecture," Internet Engineering Task Force, Request for Comments (RFC) 4655, Aug. 2006.
- [Feue05] R. Feuerstein, "Interconnecting the cyberinfrastructure," *Cyberinfrastructure 2005*, Lincoln, NE, Aug. 15-16, 2005.
- [Feue13] M. D. Feuer, L. E. Nelson, K. Abedin, X. Zhou, T. F. Taunay, J. F. Fini, B. Zhu, R. Isaac, R. Harel, G. Cohen, and D. M. Marom, "ROADM system for space division multiplexing with spatial superchannels," *Proceedings, Optical Fiber Communication/National Fiber Optic Engineers Conference (OFC/NFOEC'13)*, Anaheim, CA, Mar. 17-21, 2013, Paper PDP5B.8.
- [FHAT12] M. Z. Feng, K. Hinton, R. Ayre, and R. S. Tucker, "Network energy efficiency gains through coordinated cross-layer aggregation and bypass," *Journal of Optical Communications and Networking*, vol. 4, no. 11, pp. 895-905, Nov. 2012.
- [Fin13] Finisar, "Wavelength Selective Switches for ROADM Applications," Product Data Sheet, Aug. 2013.

- [FiTV06] D. A. Fishman, W. A. Thompson, and L. Vallone, "LambdaXtreme® transport system: R&D of a high capacity system for low cost, ultra long haul DWDM transport," *Bell Labs Technical Journal*, vol. 11, no. 2, pp. 27–53, Summer 2006.
- [FORN12] N. K. Fontaine, R. Ryf, and D. T. Neilson, "N×M wavelength selective crossconnect with flexible passbands," *Proceedings, Optical Fiber Communication/National Fiber Optic Engineers Conference (OFC/NFOEC'12)*, Los Angeles, CA, Mar. 4-8, 2012, Paper PDP5B.2.
- [FOTC97] F. Forghieri, R. W. Tkach, and A. R. Chraplyyy, "Fiber nonlinearities and their impact on transmission systems," in *Optical Fiber Telecommunications III A*, I. Kaminow and T. Koch, Editors, San Diego: Academic Press, 1997, pp. 196-254.
- [Frisk07] S. Friskin, "Advances in liquid crystal on silicon wavelength selective switching," *Proceedings, Optical Fiber Communication/National Fiber Optic Engineers Conference (OFC/NFOEC'07)*, Anaheim, CA, Mar. 25-29, 2007, Paper OWV4.
- [FTZY10] J. M. Fini, T. Taunay, B. Zhu, and M. Yan, "Low cross-talk design of multi-core fibers," *Proceedings, Conference on Lasers and Electro-Optics (CLEO'10)*, San Jose, CA, May 16-21, 2010, Paper CTuAA3.
- [FWPW11] M. D. Feuer, S. L. Woodward, P. Palacharla, X. Wang, I. Kim, and D. Bihon, "Intra-node contention in dynamic photonic networks," *Journal of Lightwave Technology*, vol. 29, no. 4, pp. 529-535, Feb. 15, 2011.
- [GaJo79] M. R. Garey and D. S. Johnson, *Computers and Intractability: A Guide to the Theory of NP-Completeness*, New York, NY: W.H. Freeman and Co., 1979.
- [Gavi10] G. Gavioli, E. Torrengo, G. Bosco, A. Carena, V. Curri, V. Miot, P. Poggiolini, M. Belmonte, F. Forghieri, C. Muzio, S. Piciaccia, A. Brinciotti, A. La Porta , C. Lezzi, S. Savory, and S. Abrate, "Investigation of the impact of ultra-narrow carrier spacing on the transmission of a 10-carrier 1Tb/s superchannel," *Proceedings, Optical Fiber Communication/National Fiber Optic Engineers Conference (OFC/NFOEC'10)*, San Diego, CA, Mar. 21-25, 2010, Paper OThD3.
- [GBSE10] S. Gringeri, B. Basch, V. Shukla, R. Egorov, and T. J. Xia, "Flexible architectures for optical transport nodes and networks," *IEEE Communications Magazine*, vol. 48, no. 7, pp. 40-50, Jul. 2010.
- [GCPW09] O. Gerstel, R. Cassata, L. Paraschis, and W. Wakim, "Operational solutions for an open DWDM layer," *Proceedings, Optical Fiber Communication/National Fiber Optic Engineers Conference (OFC/NFOEC'09)*, San Diego, CA, Mar. 22-26, 2009, Paper NThF1.
- [GDSP10] V. Gudla, S. Das, A. Shastri, G. Parulkar, N. McKeown, L. Kazovsky, and S. Yamashita, "Experimental demonstration of OpenFlow control of packet and circuit switches," *Proceedings, Optical Fiber Communication/National Fiber Optic Engineers Conference (OFC/NFOEC'10)*, San Diego, CA, Mar. 21-25, 2010, Paper OTuG2.
- [GeDo11] A. Gerber and R. Doverspike, "Traffic types and growth in backbone networks," *Proceedings, Optical Fiber Communication/National Fiber Optic Engineers Conference (OFC/NFOEC'11)*, Los Angeles, CA, Mar. 6-10, 2011, Paper OTuR1.
- [GeRa00] O. Gerstel and R. Ramaswami, "Optical layer survivability – an implementation perspective," *IEEE Journal on Selected Areas in Communications*, vol. 18, no. 10, pp. 1885-1899, Oct. 2000.
- [GeRa04] O. Gerstel and H. Raza, "Predeployment of resources in agile photonic networks," *Journal of Lightwave Technology*, vol. 22, no. 10, pp. 2236-2244, Oct. 2004.
- [Gers10] O. Gerstel, "Flexible use of spectrum and photonic grooming," *International Conference on Photonics in Switching*, Monterey, CA, Jul. 25-28, 2010, Paper PMD3.
- [GeRS98] O. Gerstel, R. Ramaswami, and G. Sasaki, "Cost effective traffic grooming in WDM rings," *Proceedings, IEEE INFOCOM 1998*, San Francisco, CA, Mar. 29-Apr. 2, 1998, pp. 69-77.
- [GFTG14] O. Gerstel, C. Filsfils, T. Telkamp, M. Gunkel, M. Horneffer, V. Lopez, and A. Mayoral, "Multi-layer capacity planning for IP-optical networks," *IEEE Communications Magazine*, vol. 52, no. 1, pp. 44-51, Jan. 2014.
- [GGCS07] A. Grue1, W. D. Grover, M. Clouquer, D. A. Schupke, J. Doucette, B. Forst, D. Onguetou, and Dimitri Baloukov, "Comparative study of fully pre-cross-connected protection architectures for transparent optical networks," *Proceedings, 6th International Workshop on Design of Reliable Communication Networks (DRCN'07)*, La Rochelle, France, Oct. 7-10, 2007.
- [GhKa12] G.-H. Gho and J. M. Kahn, "Rate-adaptive modulation and low-density parity-check coding for optical fiber transmission systems," *Journal of Optical Communications and Networking*, vol. 4, no. 10, pp. 760-768, Oct. 2012.
- [GJLY12] O. Gerstel, M. Jinno, A. Lord, and S. J. B. Yoo, "Elastic optical networking: A new dawn for the optical layer?" *IEEE Communications Magazine*, vol. 50, no. 2, pp. S12-S20, Feb. 2012.
- [GLa97] F. W. Glover and M. Laguna, *Tabu Search*, Boston, MA: Kluwer Academic Publishers, 1997.
- [GLNS08] O. Gerstel, I. Leung, G. Nicholl, H. Sohel, W. Wakim, and K. Wollenweber, "Near-hitless protection in IPoDWDM networks," *Proceedings, Optical Fiber Communication/National Fiber Optic Engineers Conference (OFC/NFOEC'08)*, San Diego, CA, Feb. 24-28, 2008, Paper NWD4.
- [GNCS09] P. Gurzi, A. Nowe, W. Colitti, and K. Steenhaut, "Maximum flow based routing and wavelength assignment in all-optical networks," *Proceedings, International Conference on Ultra Modern Telecommunications (ICUMT'09)*, St. Petersburg, Russia, Oct. 12-14, 2009.
- [GnJo97] A. H. Gnauck and R. M. Jopson, "Dispersion compensation for optical fiber systems," in *Optical Fiber Telecommunications III A*, I. Kaminow and T. Koch, Editors, San Diego: Academic Press, 1997, pp. 162-195.
- [GOJK02] K.-I. Goh, E. Oh, H. Jeong, B. Kahng, and D. Kim, "Classification of scale-free networks," *Proceedings of the National Academy of Sciences*, vol. 99, no. 20, pp. 12583–12588, Oct. 1, 2002.
- [Gora02] W. J. Goralski, *SONET/SDH*, Third Edition, New York, NY: McGraw-Hill, 2002.
- [GPYS11] D. J. Geisler, R. Proietti, Y. Yin, R. P. Scott, X. Cai, N. K. Fontaine, L. Paraschis, O. Gerstel, and S. J. B. Yoo, "Experimental demonstration of flexible bandwidth networking with real-time impairment awareness," *Optics Express*, vol. 19, no. 26, pp. B736-B745, Dec. 12, 2011.
- [GrBX12] S. Gringeri, E. B. Basch, and T. J. Xia, "Technical considerations for supporting data rates beyond 100 Gb/s," *IEEE Communications Magazine*, vol. 50, no. 2, pp. S21-S30, Feb. 2012.
- [GrBX13] S. Gringeri, N. Bitar, and T. J. Xia, "Extending Software Defined Network principles to include optical transport," *IEEE Communications Magazine*, vol. 51, no. 3, pp. 32-40, Mar. 2013.

- [Gree13] GreenTouch, “GreenTouch Green Meter Research Study: Reducing the Net Energy Consumption in Communications Networks by up to 90% by 2020,” GreenTouch White Paper, Version 1.0, Jun. 26, 2013.
- [Gril12] E. Griliches, *Ciena WaveLogic 3 Technology: “Moving the Goal Posts”*, ACG Research Technology Impact, Mar. 2012.
- [Grov03] W. Grover, *Mesh-based Survivable Transport Networks: Options and Strategies for Optical, MPLS, SONET and ATM Networking*, Upper Saddle River, NJ: Prentice-Hall, 2003.
- [GrSt98] W. Grover and D. Stamatelakis, “Cycle-oriented distributed preconfiguration: Ring-like speed with mesh-like capacity for self-planning network restoration,” *Proceedings, IEEE International Conference on Communications (ICC’98)*, Atlanta, GA, Jun. 7-11, 1998, vol. 1, pp. 537-543.
- [GrSW99] A. G. Greenberg, R. Srikant, and W. Whitt, “Resource sharing for book-ahead and instantaneous-request calls,” *IEEE/ACM Transactions on Networking*, vol. 7, no. 1, pp. 10-22, Feb. 1999.
- [GSCA09] A. Giorgetti, N. Sambo, I. Cerutti, N. Andrioli, and P. Castoldi, “Label preference schemes for lightpath provisioning and restoration in distributed GMPLS networks,” *Journal of Lightwave Technology*, vol. 27, no. 6, pp. 688-697, Mar. 15, 2009.
- [GuCh03] A. Gumaste and I. Chlamtac, “Mesh implementation of light-trails: A solution to IP centric communication,” *Proceedings, International Conference on Computer Communication and Networks (ICCCN’03)*, Dallas, TX, Oct. 20-22, 2003, pp. 178-183.
- [GuKh98] S. Guha and S. Khuller, “Approximation algorithms for connected dominating sets,” *Algorithmica*, vol. 20, no. 4, 1998, pp. 374-387.
- [GuOr02] R. Guerin and A. Orda, “Computing shortest paths for any number of hops,” *IEEE/ACM Transactions on Networking*, vol. 10, no. 5, pp. 613-620, Oct. 2002.
- [GuPM03] K. P. Gummadi, M. J. Pradeep, and C. S. R. Murthy, “An efficient primary-segmented backup scheme for dependable real-time communication in multihop networks,” *IEEE/ACM Transactions on Networking*, vol. 11, no. 1, pp. 81-94, Feb. 2003.
- [HaDG10] A. Haddad, E. A. Doumith, and M. Gagnaire, “A meta-heuristic approach for monitoring trail assignment in WDM optical networks,” *Proceedings, International Congress on Ultra Modern Telecommunications and Control Systems (ICUMT’10)*, Moscow, Russia, Oct. 18-20, 2010, pp. 601-607.
- [Hans12] P. Hansen, “The case for coherent-transponder subsystems,” *Lightwave*, pp. 22-25, Mar./Apr. 2012.
- [HaSa12] T. Hayashi, T. Sasaki, and E. Sasaoka, “Multi-core fibers for high capacity transmission,” *Proceedings, Optical Fiber Communication/National Fiber Optic Engineers Conference (OFC/NFOEC’12)*, Los Angeles, CA, Mar. 4-8, 2012, Paper OTu1D.4.
- [Haus00] H. A. Haus, “Noise figure definition valid from RF to optical frequencies,” *IEEE Journal of Selected Topics in Quantum Electronics*, vol. 6, no. 2, pp. 240-247, Mar./Apr. 2000.
- [HBPS07] J. He, M. Brandt-Pearce, Y. Pointurier, and S. Subramaniam, “QoT-aware routing in impairment-constrained optical networks,” *Proceedings, IEEE Global Communications Conference (GLOBECOM’07)*, Washington, DC, Nov. 26-30, 2007, pp. 2269-2274.
- [HeBr06] J. He and M. Brandt-Pearce, “RWA using wavelength ordering for crosstalk limited networks,” *Proceedings, Optical Fiber Communication/National Fiber Optic Engineers Conference (OFC/NFOEC’06)*, Anaheim, CA, Mar. 5-10, 2006, Paper OFG4.
- [HeMS03] J. Hershberger, M. Maxel, and S. Suri, “Finding the k shortest simple paths: A new algorithm and its implementation,” *Proceedings, Fifth Workshop on Algorithm Engineering and Experiments*, Baltimore, MD, Jan. 11, 2003, pp. 26-36.
- [HoMo02] P. H. Ho and H. T. Mouftah, “A framework for service-guaranteed shared protection in WDM mesh networks,” *IEEE Communications Magazine*, vol. 40, no. 2, pp. 97-103, Feb. 2002.
- [HPWY07] N. J. A. Harvey, M. Patrascu, Y. Wen, S. Yekhanin, and V. W. S. Chan, “Non-adaptive fault diagnosis for all-optical networks via combinatorial group testing on graphs,” *Proceedings, IEEE INFOCOM 2007*, Anchorage, AK, May 6-12, 2007, pp. 697-705.
- [HSKO99] K. Harada, K. Shimizu, T. Kudou, and T. Ozeki, “Hierarchical optical path cross-connect systems for large scale WDM networks,” *Proceedings, Optical Fiber Communication (OFC’99)*, San Diego, CA, Feb. 21-26, 1999, Paper WM55.
- [HSLD12] Y. Hsueh, A. Stark, C. Liu, T. Detwiler, S. Tibuleac, M. Filer, G. K. Chang, and S. E. Ralph, “Passband narrowing and crosstalk impairments in ROADM-enabled 100G DWDM networks,” *Journal of Lightwave Technology*, vol. 30, no. 24, pp. 3980-3986, Dec. 15, 2012.
- [HTDM13] M. F. Habib, M. Tornatore, F. Dikbiyik, and B. Mukherjee, “Disaster survivability in optical communication networks,” *Computer Communications*, vol. 36, no. 6, pp. 630-644, Mar. 15, 2013.
- [HuDu07] S. Huang and R. Dutta, “Dynamic traffic grooming: The changing role of traffic grooming,” *IEEE Communications Surveys & Tutorials*, vol. 9, no. 1, pp. 32-49, First Quarter, 2007.
- [HuMM11] S. Huang, C. U. Martel, and B. Mukherjee, “Survivable multipath provisioning with differential delay constraint in telecom mesh networks,” *IEEE/ACM Transactions on Networking*, vol. 19, no. 3, pp. 657-669, Jun. 2011.
- [Idzi13] F. Idzikowski, E. Bonetto, L. Chiaravaglio, A. Cianfrani, A. Coiro, R. Duque, F. Jiménez, Esther le Rouzic, F. Musumeci, W. van Heddeghem, J. López Vizcaíno, and Y. Ye, “TREND in energy-aware adaptive routing solutions,” *IEEE Communications Magazine*, vol. 51, no. 11, pp. 94-104, Nov. 2013.
- [IEEE09] IEEE, Provider Backbone Bridge Traffic Engineering, IEEE Std 802.1Qay™, Aug. 2009.
- [IGKV03] R. Izmailov, S. Ganguly, V. Kleptsyn, and A. C. Varsou, “Non-uniform waveband hierarchy in hybrid optical networks,” *Proceedings, IEEE INFOCOM 2003*, San Francisco, CA, Mar. 30-Apr. 3, 2003, vol. 2, pp. 1344-1354.
- [ILBK08] E. Ip, A. P. T. Lau, D. J. F. Barros, and J. M. Kahn, “Coherent detection in optical fiber systems,” *Optics Express*, vol. 16, no. 2, pp. 753-791, Jan. 21, 2008.
- [Infi12] Infinera, “Network efficiency quotient,” White Paper WP-EQ-06-2012, 2012.
- [IpKa10] E. M. Ip and J. M. Kahn, “Fiber impairment compensation using coherent detection and digital signal processing,” *Journal of Lightwave Technology*, vol. 28, no. 4, pp. 502-519, Feb. 15, 2010.
- [IrMG98] R. R. Iraschko, M. H. MacGregor, and W. D. Grover, “Optimal capacity placement for path restoration in STM or ATM mesh-survivable networks,” *IEEE/ACM Transactions on Networking*, vol. 6, no. 3, pp. 325-336, Jun. 1998.

- [Isla02] M. Islam, "Raman amplifiers for telecommunications," *IEEE Journal of Selected Topics in Quantum Electronics*, vol. 8, no. 3, pp. 548-559, May/Jun. 2002.
- [ITU01] International Telecommunication Union, Architecture of Optical Transport Networks, ITU-T Rec. G.872, Nov. 2001.
- [ITU02] International Telecommunication Union, Spectral Grids for WDM Applications: DWDM Frequency Grid, ITU-T Rec. G.694.1, Edition 1.0, Jun. 2002.
- [ITU06] International Telecommunication Union, Link Capacity Adjustment Scheme (LCAS) for Virtual Concatenated Signals," ITU-T Rec. G. 7042/Y.1305, Mar. 2006.
- [ITU09] International Telecommunication Union, Amplified Multichannel Dense Wavelength Division Multiplexing Applications with Single Channel Optical Interfaces, ITU-T Rec. G.698.2, Nov. 2009.
- [ITU11] International Telecommunication Union, Architecture of the Multi-Protocol Label Switching Transport Profile Layer Network, ITU-T Rec. G.8110.1/Y.1370.1, Dec. 2011.
- [ITU12a] International Telecommunication Union, Interfaces for the Optical Transport Network (OTN), ITU-T Rec. G.709/Y.1331, Feb. 2012.
- [ITU12b] International Telecommunication Union, Spectral Grids for WDM Applications: DWDM Frequency Grid, ITU-T Rec. G.694.1, Edition 2.0, Feb. 2012.
- [ITU12c] International Telecommunication Union, Architecture for the Automatically Switched Optical Network (ASON), ITU-T Rec. G.8080/Y.1304, Feb. 2012.
- [JADD13] T. Jiménez, J. C. Aguado, I. de Miguel, R. J. Durán, M. Angelou, N. Merayo, P. Fernández, R. M. Lorenzo, I. Tomkos, and E. J. Abril, "A cognitive quality of transmission estimator for core optical networks," *Journal of Lightwave Technology*, vol. 31, no. 6, pp. 942-951, Mar. 15, 2013.
- [Jinn08] M. Jinno, H. Takara, B. Kozicki, Y. Tsukishima, T. Yoshimatsu, T. Kobayashi, Y. Miyamoto, K. Yonenaga, A. Takada, O. Ishida, and S. Matsuoka, "Demonstration of novel spectrum-efficient elastic optical path network with per-channel variable capacity of 40 Gb/s to over 400 Gb/s," *Proceedings, European Conference on Optical Communication (ECOC'08)*, Brussels, Belgium, Sep. 21-25, 2008, Paper Th.3.F.6.
- [Jinn09] M. Jinno, H. Takara, B. Kozicki, Y. Tsukishima, Y. Sone, and S. Matsuoka, "Spectrum-efficient and scalable elastic optical path network: Architecture, benefits, and enabling technologies," *IEEE Communications Magazine*, vol. 47, no. 11, pp. 66-73, Nov. 2009.
- [JKTW10] M. Jinno, B. Kozicki, H. Takara, A. Watanabe, Y. Sone, T. Tanaka, and A. Hirano, "Distance-adaptive spectrum resource allocation in spectrum-sliced elastic optical path network," *IEEE Communications Magazine*, vol. 48, no. 8, pp. 138-145, Aug. 2010.
- [JTYH13] M. Jinno, H. Takara, K. Yonenaga, and A. Hirano, "Virtualization in optical networks from network level to hardware level," *Journal of Optical Communications and Networking*, vol. 5, no. 10, pp. A46-A56, Oct. 2013.
- [KaAr04] E. Karasan and M. Arisoylu, "Design of translucent optical networks: Partitioning and restoration," *Photonic Network Communications*, vol. 8, no. 2, pp. 209-221, Mar. 2004.
- [KaAy98] E. Karasan and E. Ayanoglu, "Effects of wavelength routing and selection algorithms on wavelength conversion gain in WDM optical networks," *IEEE/ACM Transactions on Networking*, vol. 6, no. 2, pp. 186-196, Apr. 1998.
- [KaKL00] K. Kar, M. Kodialam, and T. V. Lakshman, "Minimum interference routing of bandwidth guaranteed tunnels with MPLS traffic engineering applications," *IEEE Journal on Selected Areas in Communications*, vol. 18, no. 12, pp. 2566-2579, Dec. 2000.
- [KaKL03] K. Kar, M. Kodialam, and T. V. Lakshman, "Routing restorable bandwidth guaranteed connections using maximum 2-route flows," *IEEE/ACM Transactions on Networking*, vol. 11, no. 5, pp. 772-781, Oct. 2003.
- [KAKY03] D. Katz, K. Komppella, and D. Yeung, "Traffic Engineering (TE) Extensions to OSPF Version 2," Internet Engineering Task Force, Request for Comments (RFC) 3630, Sep. 2003.
- [Kama08] A. E. Kamal, "A generalized strategy for 1+N protection," *IEEE International Conference on Communications (ICC'08)*, Beijing, China, May 19-23, 2008, pp. 5155-5159.
- [KaSG04] G. S. Kanter, A. K. Samal, and A. Gandhi, "Electronic dispersion compensation for extended reach," *Proceedings, Optical Fiber Communication (OFC'04)*, Los Angeles, CA, Feb. 22-27, 2004, Paper TuG1.
- [KBBE04] D. C. Kilper, R. Bach, D. J. Blumenthal, D. Einstein, T. Landolsi, L. Ostar, M. Preiss, and A. E. Willner, "Optical performance monitoring," *Journal of Lightwave Technology*, vol. 22, no. 1, pp. 294-304, Jan. 2004.
- [KBSP10] J. Kakande, A. Bogris, R. Slavík, F. Parmigiani, D. Syvridis, P. Petropoulos, and D. J. Richardson, "First demonstration of all-optical QPSK signal regeneration in a novel multi-format phase sensitive amplifier," *Proceedings, European Conference on Optical Communication (ECOC'10)*, Turin, Italy, Sep. 19-23, 2010.
- [KFLZ12] D. King, A. Farrel, Y. Li, F. Zhang, and R. Casellas, "Generalized labels for the flexi-grid in lambda-switch-capable (LSC) label switching routers," draft-farrkingel-ccamp-flexigrid-lambda-label-04, Internet Engineering Task Force, Work In Progress, Oct. 2012.
- [KGHA12] D. Kilper, K. Guan, K. Hinton, and R. Ayre, "Energy challenges in current and future optical transmission networks," *Proceedings of the IEEE*, vol. 100, no. 5, pp. 1168-1187, May 2012.
- [KiaJ09] M. S. Kiaei, C. Assi, and B. Jaumard, "A survey on the p-cycle protection method," *IEEE Communications Surveys & Tutorials*, vol. 11, no. 3, pp. 53-70, Third Quarter, 2009.
- [KiFa11] D. King and A. Farrel, "The application of the Path Computation Element architecture to the determination of a sequence of domains in MPLS and GMPLS," draft-king-pce-hierarchy-fwk-06, Internet Engineering Task Force, Work In Progress, Apr. 2011.
- [KiLu03] S. Kim and S. Lumetta, "Evaluation of protection reconfiguration for multiple failures in WDM mesh networks," *Proceedings, Optical Fiber Communication (OFC'03)*, Atlanta, GA, Mar. 23-28, 2003, Paper TuI7.
- [KiMO09] M. Kim, M. Médard, and U.-M. O'Reilly, "Network coding and its implications on optical networking," *Proceedings, Optical Fiber Communication/National Fiber Optic Engineers Conference (OFC/NFOEC'09)*, San Diego, CA, Mar. 22-26, 2009, Paper OThO3.

- [Kish11] F. A. Kish, et al., "Current status of large-scale InP photonic integrated circuits," *IEEE Journal of Selected Topics in Quantum Electronics*, vol. 17, no. 6, pp. 1470-1489, Nov./Dec. 2011.
- [KKKV04] F. Kuipers, T. Korkmaz, M. Krunz, and P. Van Mieghem, "Performance evaluation of constraint-based path selection algorithms," *IEEE Network*, vol. 18, no. 5, pp. 16-23, Sep./Oct. 2004.
- [KNSZ04] P. M. Krummrich, R. E. Neuhauser, H.-J. Schmidtke, H. Zech, and M. Birk, "Compensation of Raman transients in optical networks," *Proceedings, Optical Fiber Communication (OFC'04)*, Los Angeles, CA, Feb. 22-27, 2004, Paper MF82.
- [KoGr05] A. Kodian and W. D. Grover, "Failure-independent path-protecting p-cycles: Efficient and simple fully preconnected optical-path protection," *Journal of Lightwave Technology*, vol. 23, no. 10, pp. 3241-3259, Oct. 2005.
- [KoKr01] T. Korkmaz and M. Krunz, "Multi-constrained optimal path selection," *Proceedings, IEEE INFOCOM 2001*, Anchorage, AK, Apr. 22-26, 2001, vol. 2, pp. 834-843.
- [KoLa00] M. Kodialam and T. V. Lakshman, "Dynamic routing of bandwidth guaranteed tunnels with restoration," *Proceedings, IEEE INFOCOM 2000*, Tel-Aviv, Israel, Mar. 26-30, 2000, vol. 2, pp. 902-911.
- [KoMB81] L. Kou, G. Markowsky, and L. Berman, "A fast algorithm for Steiner trees," *Acta Informatica*, vol. 15, no. 2, pp. 141-145, Jun. 1981.
- [KoMe03] R. Koetter and M. Médard, "An algebraic approach to network coding," *IEEE/ACM Transactions on Networking*, vol. 11, no. 5, pp. 782-795, Oct. 2003.
- [Koro13] S. K. Korotky, "Semi-empirical description and projections of Internet traffic trends using a hyperbolic compound annual growth rate," *Bell Labs Technical Journal*, vol. 18, no. 3, pp. 5-21, Dec. 2013.
- [KPGD03] J. Kuri, N. Puech, M. Gagnaire, E. Dotaro, and R. Douville, "Routing and wavelength assignment of scheduled lightpath demands," *IEEE Journal on Selected Areas in Communications*, vol. 21, no. 8, pp. 1231-1240, Oct. 2003.
- [KPWB12] I. Kim, P. Palacharla, X. Wang, D. Bihon, M. D. Feuer, and S. L. Woodward, "Performance of colorless, non-directional ROADM's with modular client-side fiber cross-connects," *Proceedings, Optical Fiber Communication/National Fiber Optic Engineers Conference (OFC/NFOEC'12)*, Los Angeles, CA, Mar. 4-8, 2012, Paper NM3F.7.
- [KRMD10] A. Klekamp, O. Rival, A. Morea, R. Dischler, and F. Buchali, "Transparent WDM network with bitrate tunable optical OFDM transponders," *Proceedings, Optical Fiber Communication/National Fiber Optic Engineers Conference (OFC/NFOEC'10)*, San Diego, CA, Mar. 21-25, 2010, Paper NTuB5.
- [Krum12] P. M. Krummrich, "Optical amplifiers for multi mode / multi core transmission," *Proceedings, Optical Fiber Communication/National Fiber Optic Engineers Conference (OFC/NFOEC'12)*, Los Angeles, CA, Mar. 4-8, 2012, Paper OW1D.1.
- [KRVC13] M. Klinkowski, M. Ruiz, L. Velasco, D. Careglio, V. Lopez, and J. Comellas, "Elastic spectrum allocation for time-varying traffic in flexgrid optical networks," *IEEE Journal on Selected Areas in Communications*, vol. 31, no. 1, pp. 26-38, Jan. 2013.
- [KSCA11] M. S. Kiaei, S. Sebbah, A. Cerny, H. Alazemi, and C. Assi, "Efficient network protection design models using pre-cross-connected trails," *IEEE Transactions on Communications*, vol. 59, no. 11, pp. 3102-3110, Nov. 2011.
- [KTMT05] P. Kulkarni, A. Tzanakaki, C. M. Machuka, and I. Tomkos, "Benefits of Q-factor based routing in WDM metro networks," *Proceedings, European Conference on Optical Communication (ECOC'05)*, Glasgow, Scotland, Sep. 25-29, 2005, vol. 4, pp. 981-982.
- [KTYY09] B. Kozicki, H. Takara, T. Yoshimatsu, K. Yonenaga, and M. Jinno, "Filtering characteristics of highly-spectrum efficient spectrum-sliced elastic optical path (SLICE) network," *Proceedings, Optical Fiber Communication/National Fiber Optic Engineers Conference (OFC/NFOEC'09)*, San Diego, CA, Mar. 22-26, 2009, Paper JWA43.
- [Kurt93] C. Kurtzke, "Suppression of fiber nonlinearities by appropriate dispersion management," *IEEE Photonics Technology Letters*, vol. 5, no. 10, pp. 1250-1253, Oct. 1993.
- [KZJP04] V. Kaman, X. Zheng, O. Jerphagnon, C. Pusarla, R. J. Helkey, and J. E. Bowers, "A cyclic MUX-DMUX photonic cross-connect architecture for transparent waveband optical networks," *IEEE Photonics Technology Letters*, vol. 16, no. 2, pp. 638-640, Feb. 2004.
- [LaKe91] A. M. Law and W. D. Kelton, *Simulation Modeling and Analysis*, Second Edition, New York, NY: McGraw-Hill, Inc., 1991.
- [Lam07] C. Lam, Editor, *Passive Optical Networks: Principles and Practice*, Burlington, MA: Academic Press, 2007.
- [LBLM12] Y. Lee, G. Bernstein, D. Li, and G. Martinelli, "A Framework for the Control of Wavelength Switched Optical Networks (WSONs) with Impairments," Internet Engineering Task Force, Request for Comments (RFC) 6566, Mar. 2012.
- [LBMT13] Y. Lee, G. Bernstein, J. Martensson, T. Takeda, T. Tsuritani, and O. G. de Dios, "PCEP requirements for WSON routing and wavelength assignment," draft-ietf-pce-wson-routing-wavelength-09, Internet Engineering Task Force, Work In Progress, Jun. 2013.
- [LeBI11] Y. Lee, G. Bernstein, and W. Imajuku, "Framework for GMPLS and Path Computation Element (PCE) Control of Wavelength Switched Optical Networks (WSONs)," Internet Engineering Task Force, Request for Comments (RFC) 6163, Apr. 2011.
- [LeJC04] J. Leuthold, J. Jaques, and S. Cabot, "All-optical wavelength conversion and regeneration," *Proceedings, Optical Fiber Communication (OFC'04)*, Los Angeles, CA, Feb. 22-27, 2004, Paper WN1.
- [LeLM11] K. Lee, H.-W. Lee, and E. Modiano, "Reliability in layered networks with random link failures," *IEEE/ACM Transactions on Networking*, vol. 19, no. 6, pp. 1835-1848, Dec. 2011.
- [LeML10] H.-W. Lee, E. Modiano, and K. Lee, "Diverse routing in networks with probabilistic failures," *IEEE/ACM Transactions on Networking*, vol. 18, no. 6, pp. 1895-1907, Dec. 2010.
- [LFWT12] C. P. Lai, F. Fidler, P. J. Winzer, M. K. Thottan, and K. Bergman, "Cross-layer proactive packet protection switching," *Journal of Optical Communications and Networking*, vol. 4, no. 10, pp. 847-857, Oct. 2012.
- [LiCh07] S. Liu and L. Chen, "Deployment of carrier-grade bandwidth-on-demand services over optical transport networks: A Verizon experience," *Proceedings, Optical Fiber Communication/National Fiber Optic Engineers Conference (OFC/NFOEC'07)*, Anaheim, CA, Mar. 25-29, 2007, Paper NThC3.
- [LiCS05] G. Li, A. L. Chiu, and J. Strand, "Failure recovery in all-optical ULH networks," *Proceedings, 5th International Workshop on Design of Reliable Communication Networks (DRCN'05)*, Island of Ischia, Italy, Oct. 16-19, 2005.

- [Lin06] C. Lin, Editor, *Broadband Optical Access Networks and Fiber-to-the-Home: Systems Technologies and Deployment Strategies*, West Sussex, England, John Wiley & Sons, 2006.
- [LiRa97] C.-S. Li and R. Ramaswami, "Automatic fault detection, isolation, and recovery in transparent all-optical networks," *Journal of Lightwave Technology*, vol. 15, no. 10, pp. 1784-1793, Oct. 1997.
- [LiRa01] G. Liu and K. G. Ramakrishnan, "A*Prune: An algorithm for finding K shortest paths subject to multiple constraints," *Proceedings, IEEE INFOCOM 2001*, Anchorage, AK, Apr. 22-26, 2001, vol. 2, pp. 743-749.
- [LitM12] L. Liu, T. Tsuritani, and I. Morita, "Experimental demonstration of OpenFlow/GMPLS interworking control plane for IP/DWDM multi-layer optical networks," *Proceedings, International Conference on Transparent Optical Networks (ICTON'12)*, United Kingdom, Jul. 2-5, 2012, Paper Tu.A2.5.
- [Liu13] L. Liu, D. Zhang, T. Tsuritani, R. Vilalta, R. Casellas, L. Hong, I. Morita, H. Guo, J. Wu, R. Martínez, and R. Muñoz, "Field trial of an OpenFlow-based unified control plane for multilayer multigranularity optical switching networks," *Journal of Lightwave Technology*, vol. 31, no. 4, pp. 506-514, Feb. 15, 2013.
- [LiVe02] R. Lingampalli and P. Vengalam, "Effect of wavelength and waveband grooming on all-optical networks with single layer photonic switching," *Proceedings, Optical Fiber Communication (OFC'02)*, Anaheim, CA, Mar. 17-22, 2002, Paper ThP4.
- [LiWM07] W. Lin, R. S. Wolff, and B. Mumey, "A Markov-based reservation algorithm for wavelength assignment in all-optical networks," *Journal of Lightwave Technology*, vol. 25, no. 7, pp. 1676-1683, Jul. 2007.
- [LLBB03] O. Leclerc, B. Lavigne, E. Balmefrezol, P. Brindel, L. Pierre, D. Rouvillain, and F. Seguinéau, "Optical regeneration at 40 Gb/s and beyond," *Journal of Lightwave Technology*, vol. 21, no. 11, pp. 2779-2790, Nov. 2003.
- [LLLC12] Z. Liu, M. Li, L. Lu, C.-K. Chan, S.-C. Liew, and L.-K. Chen, "Optical physical-layer network coding," *IEEE Photonics Technology Letters*, vol. 24, no. 16, pp. 1424-1427, Aug. 15, 2012.
- [LSTN05] M.-J. Li, M. J. Soulliere, D. J. Tebben, L. Nederlof, M. D. Vaughn, and R. E. Wagner, "Transparent optical protection ring architectures and applications," *Journal of Lightwave Technology*, vol. 23, no. 10, pp. 3388-3403, Oct. 2005.
- [LuSS13] Y. Lui, G. Shen, and W. Shao, "Design for energy-efficient IP over WDM networks with joint lightpath bypass and router-card sleeping strategies," *Journal of Optical Communications and Networking*, vol. 5, no. 11, pp. 1122-1138, Nov. 2013.
- [MABP08] N. McKeown, T. Anderson, H. Balakrishnan, G. Parulkar, L. Peterson, J. Rexford, S. Shenker, and J. Turner, "OpenFlow: Enabling innovation in campus networks," White Paper, *ACM SIGCOMM Computer Communication Review*, vol. 38, no. 2, pp. 69-74, Apr. 2008.
- [MaDo09] P. Magill and R. Doverspike, "The core photonic networks – where are things heading?" *Proceedings, European Conference on Optical Communication (ECOC'09)*, Vienna, Austria, Sep. 20-24, 2009, Paper 4.6.1.
- [MaLe03] B. Manseur and J. Leung, "Comparative analysis of network reliability and optical reach," *National Fiber Optic Engineers Conference (NFOEC'03)*, Orlando, FL, Sep. 7-11, 2003.
- [Mann04] E. Mannie, Editor, "Generalized Multi-Protocol Label Switching (GMPLS) Architecture," Internet Engineering Task Force, Request for Comments (RFC) 3945, Oct. 04.
- [Maro05] D. M. Marom, D. T. Neilson, D. S. Greywall, C.-S. Pai, N. R. Basavanhally, V. A. Aksyuk, D. O. López, F. Pardo, M. E. Simon, Y. Low, P. Kolodner, and C. A. Bolle., "Wavelength-selective 1xK switches using free-space optics and MEMS micromirrors: Theory, design, and implementation," *Journal of Lightwave Technology*, vol. 23, no. 4, pp. 1620-1630, Apr. 2005.
- [MARW12] T. Morioka, Y. Awaji, R. Ryf, P. Winzer, D. Richardson, and F. Poletti, "Enhancing optical communications with brand new fibers," *IEEE Communications Magazine*, vol. 50, no. 2, pp. S31-S42, Feb. 2012.
- [MaSi12] D. M. Marom and D. Sinefeld, "Beyond wavelength-selective channel switches: Trends in support of flexible/elastic optical networks," *Proceedings, International Conference on Transparent Optical Networks (ICTON'12)*, United Kingdom, Jul. 2-5, 2012, Paper Mo.B1.4.
- [MaTo03] C. M. Machuca and I. Tomkos, "Failure detection for secure optical networks," *Proceedings, International Conference on Transparent Optical Networks (ICTON'03)*, Warsaw, Poland, Jun. 29-Jul. 3, 2003, pp. 70-75.
- [Mats12] M. Matsumoto, "Fiber-based all-optical signal regeneration," *IEEE Journal of Selected Topics in Quantum Electronics*, vol. 18, no. 2, pp. 738-752, Mar./Apr. 2012.
- [MaTT05] C. Mas, I. Tomkos, and O. K. Tonguz, "Failure location algorithm for transparent optical networks," *IEEE Journal on Selected Areas in Communications*, vol. 23, no. 8, pp. 1508-1519, Aug. 2005.
- [MaZa10] G. Martinelli and A. Zanardi, "GMPLS signaling extensions for optical impairment aware lightpath setup," draft-martinelli-ccamp-optical-imp-signaling-03, Internet Engineering Task Force, Work In Progress, Oct. 2010.
- [MBLA08] A. Morea, N. Brogard, F. Leplingard, J.-C. Antona, T. Zami, B. Lavigne, and D. Bayart, "QoS function and A* routing: An optimized combination for connection search in translucent networks," *Journal of Optical Networking*, vol. 7, no. 1, pp. 42-61, Jan. 2008.
- [MBLV09] S. Melle, G. Bennett, C. Liou, C. Villamizar, and V. Vusirikala, "Alien wavelength transport: An operational and economic analysis," *Proceedings, Optical Fiber Communication/National Fiber Optic Engineers Conference (OFC/NFOEC'09)*, San Diego, CA, Mar. 22-26, 2009, Paper NThF2.
- [MCMT10] R. Martínez, R. Casellas, R. Muñoz, and T. Tsuritani, "Experimental translucent-oriented routing for dynamic lightpath provisioning in GMPLS-enabled wavelength switched optical networks," *Journal of Lightwave Technology*, vol. 28, no. 8, pp. 1241-1255, Apr. 15, 2010.
- [MDLP05] S. Melle, R. Dodd, C. Liou, D. Perkins, M. Sosa, and M. Yin, "Network planning and economic analysis of an innovative new optical transport architecture: The digital optical network," *National Fiber Optic Engineers Conference (NFOEC'05)*, Anaheim, CA, Mar. 6-11, 2005, Paper NTuA1.
- [MDXA10] E. D. Manley, J. S. Deogun, L. Xu, and D. R. Alexander, "All-optical network coding," *Journal of Optical Communications and Networking*, vol. 2, no. 4, pp. 175-191, Apr. 2010.
- [McCS98] M. Médard, S. R. Chinn, and P. Saengudomlert, "Attack detection in all-optical networks," *Proceedings, Optical Fiber Communication (OFC'98)*, San Jose, CA, Feb. 22-27, 1998, Paper ThD4.

- [MeGa08] R. C. Menendez and J. W. Gannett, "Efficient, fault-tolerant all-optical multicast networks via network coding," *Proceedings, Optical Fiber Communication/National Fiber Optic Engineers Conference (OFC/NFOEC'08)*, San Diego, CA, Feb. 24-28, 2008, Paper JThA82.
- [MiRo05] J. Mihelic and B. Robic, "Solving the K-center problem efficiently with a dominating set algorithm," *Journal of Computing and Information Technology*, vol. 13, no. 3, pp. 225–233, Third Quarter, 2005.
- [MKCV10] K. Manousakis, P. Kokkinos, K. Christodoulopoulos, and E. Varvarigos, "Joint online routing, wavelength assignment and regenerator allocation in translucent optical networks," *Journal of Lightwave Technology*, vol. 28, no. 8, pp. 1152-1163, Apr. 15, 2010.
- [MMBF97] M. Médard, D. Marquis, R. A. Barry, and S. G. Finn, "Security issues in all-optical networks," *IEEE Network*, vol. 11, no. 3, pp. 42-48, May/Jun. 1997.
- [MMMT03] S. Mechels, L. Muller, G. D. Morley, and D. Tillett, "1D MEMS-based wavelength switching subsystem," *IEEE Communications Magazine*, vol. 41, no. 3, pp. 88-94, Mar. 2003.
- [MoAz98] A. Mokhtar and M. Azizoglu, "Adaptive wavelength routing in all-optical networks," *IEEE/ACM Transactions on Networking*, vol. 6, no. 2, pp. 197-206, Apr. 1998.
- [MoBB04] A. Mokhtar, L. Benmohamed, and M. Bortz, "OXC port dimensioning strategies in optical networks – a nodal perspective," *IEEE Communications Letters*, vol. 8, no. 5, pp. 283-285, May 2004.
- [MoLS02] R. Monnard, H. K. Lee, and A. Srivastava, "Suppressing amplifier transients in lightwave systems," *Proceedings, IEEE/LEOS Summer Topicals*, Mont Tremblant, Quebec, Jul. 15-17, 2002, Paper WE3.
- [MORC05] J. McNicol, M. O'Sullivan, K. Roberts, A. Comeau, D. McGhan, and L. Strawczynski, "Electrical domain compensation of optical dispersion," *Proceedings, Optical Fiber Communication (OFC'05)*, Anaheim, CA, Mar. 6-11, 2005, Paper OThJ3.
- [MPCA06] R. Martinez, C. Pinart, F. Cugini, N. Andriolli, L. Valcarenghi, P. Castoldi, L. Wosinska, J. Comellas, and G. Junyent, "Challenges and requirements for introducing impairment-awareness into the management and control planes of ASON/GMPLS WDM networks," *IEEE Communications Magazine*, vol. 44, no. 12, pp. 76-85, Dec. 2006.
- [MRBL13] A. Morea, O. Rival, N. Brochier, and E. Le Rouzic, "Datarate adaptation for night-time energy savings in core networks," *Journal of Lightwave Technology*, vol. 31, no. 5, pp. 779-785, Mar. 1, 2013.
- [MSMK12] T. Mizuuchi, T. Sugihara, Y. Miyata, K. Kubo, K. Onohara, S. Hirano, H. Yoshida, T. Yoshida, and T. Ichikawa, "Evolution and status of forward error correction," *Proceedings, Optical Fiber Communication/National Fiber Optic Engineers Conference (OFC/NFOEC'12)*, Los Angeles, CA, Mar. 4-8, 2012, Paper OTu2A.6.
- [MSTT07] G. Markidis, S. Sygletos, A. Tzanakaki, and I. Tomkos, "Impairment aware based routing and wavelength assignment in transparent long haul networks," *Proceedings, Conference on Optical Network Design and Modeling (ONDM'07)*, Athens, Greece, May 29-31, 2007, pp. 48-57.
- [Mukh06] B. Mukherjee, *Optical WDM Networks*, New York, NY: Springer, 2006.
- [NBBS09] B. Niven-Jenkins, D. Brungard, M. Betts, N. Sprecher, and S. Ueno, "Requirements of an MPLS Transport Profile," Internet Engineering Task Force, Request for Comments (RFC) 5654, Sep. 2009.
- [NoVD01] L. Noirie, M. Vigoureux, and E. Dotaro "Impact of intermediate traffic grouping on the dimensioning of multi-granularity optical networks," *Proceedings, Optical Fiber Communication (OFC'01)*, Anaheim, CA, Mar. 17-22, 2001, Paper TuG3.
- [NYHS12] F. Naruse, Y. Yamada, H. Hasegawa, and K. Sato, "Evaluations of OXC hardware scale and network resource requirements of different optical path add/drop ratio restriction schemes," *Journal of Optical Communications and Networking*, vol. 4, no. 11, pp. B26-B34, Nov. 2012.
- [NZCM11] S. Neumayer, G. Zussman, R. Cohen, and E. Modiano, "Assessing the vulnerability of the fiber infrastructure to disasters," *IEEE/ACM Transactions on Networking*, vol. 19, no. 6, Dec. 2011, pp. 1610-1623.
- [Obar07] H. Obara, "Bidirectional WDM transmission technique utilizing two identical sets of wavelengths for both directions over a single fiber," *Journal of Lightwave Technology*, vol. 25, no. 1, pp. 297-304, Jan. 2007.
- [OIF04] Optical Internetworking Forum, "User Network Interface (UNI) 1.0 Signaling Specification, Release 2," Feb. 27, 2004.
- [Okam98] K. Okamoto, "Tutorial: Fundamentals, technology and applications of AWG's," *Proceedings, European Conference on Optical Communication (ECOC'98)*, Madrid, Spain, Sep. 20-24, 1998, pp. 35-37.
- [ONF12] Open Networking Foundation, "Software-Defined Networking: The new norm for networks," ONF White Paper, Apr. 13, 2012.
- [OSul08] M. O'Sullivan, "Expanding network applications with coherent detection," *Proceedings, Optical Fiber Communication/National Fiber Optic Engineers Conference (OFC/NFOEC'08)*, San Diego, CA, Feb. 24-28, 2008, Paper NWC3.
- [OuMu05] C. Ou and B. Mukherjee, *Survivable Optical WDM Networks*, New York, NY: Springer, 2005.
- [OzBe03] A. E. Ozdaglar and D. P. Bertsekas, "Routing and wavelength assignment in optical networks," *IEEE/ACM Transactions on Networking*, vol. 11, no. 2, pp. 259-272, Apr. 2003.
- [OzPJ03] T. Ozugur, M.-A. Park, and J. P. Jue, "Label prioritization in GMPLS-centric all-optical networks," *Proceedings, IEEE International Conference on Communications (ICC'03)*, Anchorage, AK, May 11-15, 2003, vol. 2, pp. 1283-1287.
- [OZSZ04] C. Ou, H. Zang, N. K. Singhal, K. Zhu, L. H. Sahasrabuddhe, R. A. MacDonald, and B. Mukherjee, "Subpath protection for scalability and fast recovery in optical WDM mesh networks," *IEEE Journal on Selected Areas in Communications*, vol. 22, no. 9, pp. 1859-1875, Nov. 2004.
- [OZZS03] C. Ou, K. Zhu, H. Zang, L. H. Sahasrabuddhe, and B. Mukherjee, "Traffic grooming for survivable WDM networks - shared protection," *IEEE Journal on Selected Areas in Communications*, vol. 21, no. 9, pp. 1367-1383, Nov. 2003.
- [PaEA12] T. Panayiotou, G. Ellinas, and N. Antoniades, "Segment-based protection of multicast connections in metropolitan area optical networks with quality-of-transmission considerations," *Journal of Optical Communications and Networking*, vol. 4, no. 9, pp. 692-702, Sep. 2012.
- [PaPP03] G. I. Papadimitriou, C. Papazoglou, and A. S. Pomportsis, "Optical switching: Switch fabrics, techniques, and architectures," *Journal of Lightwave Technology*, vol. 21, no. 2, pp. 384-405, Feb. 2003.

- [PaSA05] P. Pan, G. Swallow, and A. Atlas, Editors, "Fast Reroute Extensions to RSVP-TE for LSP Tunnels," Internet Engineering Task Force, Request for Comments (RFC) 4090, May 2005.
- [PaVL10] P. G. Patki, M. Vasilyev, and T. I. Lakoba, "Multichannel all-optical regeneration," *IEEE Photonics Society Summer Topicals*, Jul. 19-21, 2010, Playa del Carmen, Mexico, pp. 172–173, 2010, Paper WC2.2.
- [PaYW10] Z. Pan, C. Yu, and A. E. Willner, "Optical performance monitoring for the next generation optical communication networks," *Optical Fiber Technology*, vol. 16, no. 1, pp. 20-45, Jan. 2010.
- [PCGS13] F. Paolucci, F. Cugini, A. Giorgetti, N. Sambo, and P. Castoldi, "A survey on the path computation element (PCE) architecture," *IEEE Communications Surveys & Tutorials*, vol. 15, no. 4, pp. 1819-1841, Fourth Quarter, 2013.
- [PCSC13] I. Popescu, I. Cerutti, N. Sambo, and P. Castoldi, "On the optimal design of a spectrum-switched optical network with multiple modulation formats and rates," *Journal of Optical Communications and Networking*, vol. 5, no. 11, pp. 1275-1284, Nov. 2013.
- [PDCS06] M. Pickavet, P. Demeester, D. Colle, D. Staessens, B. Puype, L. Depré, and I. Lievens, "Recovery in multilayer optical networks," *Journal of Lightwave Technology*, vol. 24, no. 1, pp. 122-134, Jan. 2006.
- [Pers73] S. D. Personick, "Receiver design for digital fiber optic communications systems," *Bell System Technical Journal*, vol. 52, no. 6, pp. 843-886, Jul./Aug. 1973.
- [Phil04] M. R. Phillips, "Analog optical fiber transmission systems: A comparison with digital systems," *Proceedings, 17th Annual Meeting of the IEEE LEOS*, Puerto Rico, Nov. 7-11, 2004, Paper TuB1.
- [PJW11a] A. N. Patel, P. N. Ji, J. P. Jue, and T. Wang, "Defragmentation of transparent flexible optical WDM (FWDM) networks," *Proceedings, Optical Fiber Communication/National Fiber Optic Engineers Conference (OFC/NFOEC'11)*, Los Angeles, CA, Mar. 6-10, 2011, Paper OTu8.
- [PJW11b] A. N. Patel, P. N. Ji, J. P. Jue, and T. Wang, "Traffic grooming in flexible optical WDM (FWDM) networks," *Proceedings, 16th Opto-Electronics and Communications Conference (OECC 2011)*, Kaohsiung, Taiwan, Jul. 4-8, 2011.
- [PJW12] A. N. Patel, P. N. Ji, J. P. Jue, and T. Wang, "A naturally-inspired algorithm for routing, wavelength assignment, and spectrum allocation in flexible grid WDM Networks," *Proceedings, IEEE Global Communications Conference (GLOBECOM'12)*, Anaheim, CA, Dec. 3-7, 2012, pp. 340-345.
- [PoCR08] Y. Pointurier, M. Coates, and M. Rabbat, "Active monitoring of all-optical networks," *Proceedings, International Conference on Transparent Optical Networks (ICTON'08)*, Athens, Greece, Jun. 22-26, 2008.
- [PoNa97] C. D. Poole and J. Nagel, "Polarization effects in lightwave systems," in *Optical Fiber Telecommunications III A*, I. Kaminow and T. Koch, Editors, San Diego: Academic Press, 1997, pp. 114-161.
- [PPPR12] F. Parmigiani, L. Provost, P. Petropoulos, D. J. Richardson, W. Freude, J. Leuthold, A. D. Ellis, and I. Tomkos, "Progress in multichannel all-optical regeneration based on fiber technology," *IEEE Journal of Selected Topics in Quantum Electronics*, vol. 18, no. 2, pp. 689-700, Mar./Apr. 2012.
- [PSAA12] J. Perelló, S. Spadaro, F. Agraz, M. Angelou, S. Azodolmolky, Y. Qin, R. Nejabati, D. Simeonidou, P. Kokkinos, E. Varvarigos, and I. Tomkos, "Experimental demonstration of a GMPLS-enabled impairment-aware lightpath restoration scheme," *Journal of Optical Communications and Networking*, vol. 4, no. 5, pp. 344-355, May 2012.
- [QGSL10] C. Qiao, M. A. González-Ortega, A. Suárez-González, X. Liu, and J. C. López-Arda, "On the benefit of fast switching in optical networks," *Proceedings, Optical Fiber Communication/National Fiber Optic Engineers Conference (OFC/NFOEC'10)*, San Diego, CA, Mar. 21-25, 2010, Paper OWR2.
- [QiXu02] C. Qiao and D. Xu, "Distributed partial information management (DPIM) schemes for survivable networks - Part I," *Proceedings, IEEE INFOCOM 2002*, New York, NY, Jun. 23-27, 2002, vol. 1, pp. 302-311.
- [QiYo99] C. Qiao and M. Yoo, "Optical Burst Switching (OBS) – A new paradigm for an optical internet," *Journal of High Speed Networks*, vol. 8, no. 1, pp. 69-84, Jan. 1999.
- [Rahb12] A. G. Rahbar, "Review of dynamic impairment-aware routing and wavelength assignment techniques in all-optical wavelength-routed networks," *IEEE Communications Surveys & Tutorials*, vol. 14, no. 4, pp. 1065-1089, Fourth Quarter, 2012.
- [RaSi95] R. Ramaswami and K. Sivarajan, "Routing and wavelength assignment in all-optical networks," *IEEE/ACM Transactions on Networking*, vol. 3, no. 5, pp. 489–500, Oct. 1995.
- [RaSS09] R. Ramaswami, K. N. Sivarajan, and G. Sasaki, *Optical Networks: A Practical Perspective*, 3rd Edition, San Francisco, CA: Morgan Kaufmann Publishers, 2009.
- [RelG06] R. Rejeb, M. S. Leeson, and R. J. Green, "Fault and attack management in all-optical networks," *IEEE Communications Magazine*, vol. 44, no. 11, pp. 79-86, Nov. 2006.
- [RFDH99] B. Ramamurthy, H. Feng, D. Datta, J. P. Heritage, and B. Mukherjee, "Transparent vs. opaque vs. translucent wavelength-routed optical networks," *Proceedings, Optical Fiber Communication (OFC'99)*, San Diego, CA, Feb. 21-26, 1999, Paper TuF2, vol. 1, pp. 59-61.
- [RiVM11] O. Rival, G. Villares, and A. Morea, "Impact of inter-channel nonlinearities on the planning of 25–100 Gb/s elastic optical networks," *Journal of Lightwave Technology*, vol. 29, no. 9, pp. 1326-1334, May 1, 2011.
- [RKDG13] F. Rambach, B. Konrad, L. Dembeck, U. Gebhard, M. Gunkel, M. Quagliotti, L. Serra, and V. López, "A multilayer cost model for metro/core networks," *Journal of Optical Communications and Networking*, vol. 5, no. 3, pp. 210-225, Mar. 2013.
- [RMTP13] G. Rizzelli, A. Morea, M. Tornatore, and A. Pattavina, "Reach-related energy consumption in IP-over-WDM 100G translucent networks," *Journal of Lightwave Technology*, vol. 31, no. 11, pp. 1828-1834, Jun. 1, 2013.
- [Robe05] L. Roberts, "Enabling data-intensive iGrid applications with advanced network technology," *iGrid 2005*, San Diego, CA, Sep. 26-29, 2005.
- [Robe11] K. Roberts, "100G – Key technology enablers of 100Gbit/s in carrier networks," *Proceedings, Optical Fiber Communication/National Fiber Optic Engineers Conference (OFC/NFOEC'11)*, Los Angeles, CA, Mar. 6-10, 2011, Paper NWA1.
- [RoSt02] K. Rottwitt and A. Stentz, "Raman amplification in lightwave communication systems," in *Optical Fiber Telecommunications IV A*, I. Kaminow and T. Li, Editors, San Diego: Academic Press, 2002, pp. 213-258.

- [RPAG11] M. Rahnamay-Naeini, J. E. Pezoa, G. Azar, N. Ghani, and M. M. Hayat, "Modeling stochastic correlated failures and their effects on network reliability," *Proceedings of 20th International Conference on Computer Communications and Networks (ICCN 2011)*, Maui, HI, Jul. 31-Aug. 4, 2011.
- [RuXi13] L. Ruan and N. Xiao, "Survivable multipath routing and spectrum allocation in OFDM-based flexible optical networks," *Journal of Optical Communications and Networking*, vol. 5, no. 3, pp. 172-182, Mar. 2013.
- [SAAG05] A. Srivastava, S. Acharya, M. Alicherry, B. Gupta, and P. Risbood, "Differential delay aware routing for Ethernet over SONET/SDH," *Proceedings, IEEE INFOCOM 2005*, Miami, FL, Mar. 13-17, 2005, vol. 2, pp. 1117-1127.
- [SaHa09] K. Sato and H. Hasegawa, "Optical networking technologies that will create future bandwidth-abundant networks," *Journal of Optical Communications and Networking*, vol. 1, no. 2, pp. A81-A93, Jul. 2009.
- [Saka13] J. Sakaguchi, B. J. Putnam, W. Klaus, Y. Awaji, N. Wada, A. Kanno, T. Kawanishi, K. Imamura, H. Inaba, K. Mukasa, R. Sugizaki, T. Kobayashi, and M. Watanabe, "305 Tb/s space division multiplexed transmission using homogeneous 19-core fiber," *Journal of Lightwave Technology*, vol. 31, no. 4, pp. 554-562, Feb. 15, 2013.
- [Sala02] D. Y. Al-Salameh, "Optical switching in transport networks: Applications, requirements, architectures, technologies and solutions," in *Optical Fiber Telecommunications IV A*, I. Kaminow and T. Li, Editors, San Diego: Academic Press, 2002, pp. 295-373.
- [Sale98a] A. A. M. Saleh, "Islands of transparency – an emerging reality in multiwavelength optical networking," *Proceedings, IEEE/LEOS Summer Topical Meeting on Broadband Optical Networks and Technologies*, Monterey, CA, Jul. 20-24, 1998, p. 36.
- [Sale98b] A. A. M. Saleh, "Short- and long-term options for broadband access to homes and businesses," *Conference on the Internet: Next Generation and Beyond*, Cambridge, MA, Nov. 1-2, 1998.
- [Sale00] A. A. M. Saleh, "Transparent optical networking in backbone networks," *Proceedings, Optical Fiber Communication (OFC'00)*, Baltimore, MD, Mar. 7-10, 2000, Paper ThD7.
- [Sale03] A. A. M. Saleh, "Defining all-optical networking and assessing its benefits in metro, regional and backbone networks," *Proceedings, Optical Fiber Communication (OFC'03)*, Atlanta, GA, Mar. 23-28, 2003, Paper WQ1.
- [Sale06] A. A. M. Saleh, Program Manager, "Dynamic Multi-Terabit Core Optical Networks: Architecture, Protocols, Control And Management (CORONET)," Defense Advanced Research Projects Agency (DARPA) Strategic Technology Office (STO), BAA 06-29, Proposer Information Pamphlet (PIP), Aug. 2006.
- [Sale07] A. A. M. Saleh, "Technologies, architecture and services for the next-generation core optical networks," *Proceedings, Optical Fiber Communication/National Fiber Optic Engineers Conference (OFC/NFOEC'07)*, Anaheim, CA, Mar. 25-29, 2007, Workshop on the Future of Optical Networking.
- [SaMu00] L. H. Sahasrabuddhe and B. Mukherjee, "Multicast routing algorithms and protocols: A tutorial," *IEEE Network*, vol. 14, no. 1, pp. 90-102, Jan./Feb. 2000.
- [SaSi99] A. A. M. Saleh and J. M. Simmons, "Architectural principles of optical regional and metropolitan access networks," *Journal of Lightwave Technology*, vol. 17, no. 12, pp. 2431-2448, Dec. 1999.
- [SaSi06] A. A. M. Saleh and J. M. Simmons, "Evolution toward the next-generation core optical network," *Journal of Lightwave Technology*, vol. 24, no. 9, pp. 3303-3321, Sep. 2006.
- [SaSi11] A. A. M. Saleh and J. M. Simmons, "Technology and architecture to enable the explosive growth of the Internet," *IEEE Communications Magazine*, vol. 49, no. 1, pp. 126-132, Jan. 2011.
- [SaSi12] A. A. M. Saleh and J. M. Simmons, "All-optical networking – evolution, benefits, challenges, and future vision," *Proceedings of the IEEE*, vol. 100, no. 5, pp. 1105-1117, May 2012.
- [SaSR05] H. P. Sardesai, Y. Shen, and R. Ranganathan, "Optimal WDM layer partitioning and transmission reach in optical networks," *Proceedings, Optical Fiber Communication (OFC'05)*, Anaheim, CA, Mar. 6-11, 2005, Paper OTuP4.
- [Savo07] S. J. Savory, "Coherent detection - Why is it back?" *Proceedings, 20th Annual Meeting of the IEEE LEOS*, Lake Buena Vista, FL, Oct. 21-25, 2007, Paper TuH1.
- [SeAF01] D. A. Schupke, A. Autenrieth, and T. Fischer, "Survivability of multiple fiber duct failures," *Proceedings, Third International Workshop on the Design of Reliable Communication Networks (DRCN'01)*, Budapest, Hungary, Oct. 7-10, 2001, pp. 213-219.
- [SeGC04] D. A. Schupke, W. D. Grover, and M. Clouqueur, "Strategies for enhanced dual failure restorability with static or reconfigurable p-cycle networks," *Proceedings, IEEE International Conference on Communications (ICC'04)*, Paris, France, Jun. 20-24, 2004, pp. 1628-1633.
- [SCGN12] R. Skoog, G. Clapp, J. Gannett, A. Neidhardt, A. Von Lehman, and B. Wilson, "Architectures, protocols and design for highly dynamic optical networks," *Optical Switching and Networking*, vol. 9, no. 3, pp. 240-251, Jul. 2012.
- [Schu12] D. A. Schupke, "Multilayer and multidomain resilience in optical networks," *Proceedings of the IEEE*, vol. 100, no. 5, pp. 1140-1148, May 2012.
- [SDIR05] G. Swallow, J. Drake, H. Ishimatsu, and Y. Rekhter "Generalized Multiprotocol Label Switching (GMPLS) User-Network Interface (UNI): Resource ReserVation Protocol-Traffic Engineering (RSVP-TE) Support for the Overlay Model," Internet Engineering Task Force, Request for Comments (RFC) 4208, Oct. 2005.
- [SeJa12] S. Sebbah and B. Jaumard, "Differentiated quality-of-recovery in survivable optical mesh networks using *p*-structures," *IEEE/ACM Transactions on Networking*, vol. 20, no. 3, pp. 798-810, Jun. 2012.
- [SFGE12] S. Sygletos, P. Frascella, F. C. Garcia Gunning, and A. D. Ellis, "Multi-wavelength regeneration of phase encoded signals based on phase sensitive amplifiers," *Proceedings, International Conference on Transparent Optical Networks (ICTON'12)*, United Kingdom, Jul. 2-5, 2012, Paper We.B1.4.
- [SFPF05] L. Smarr, J. Ford, P. Papadopoulos, S. Fainman, T. DeFanti, M. Brown, and J. Leigh, "The OptIPuter, Quartzite, and Starlight Projects: A campus to global-scale testbed for optical technologies enabling LambdaGrid computing," *Proceedings, Optical Fiber Communication (OFC'05)*, Anaheim, CA, Mar. 6-11, 2005, Paper OWG7.
- [SGCA09] N. Sambo, A. Giorgetti, F. Cugini, N. Andrioli, L. Valcarenghi, and P. Castoldi, "Accounting for shared regenerators in GMPLS-controlled translucent optical networks," *Journal of Lightwave Technology*, vol. 27, no. 19, pp. 4338-4347, Oct. 1, 2009.

- [ShAt06] W. Shieh and C. Athaudage, "Coherent optical orthogonal frequency division multiplexing," *Electronics Letters*, vol. 42, no. 10, May 11, 2006.
- [ShBT08] W. Shieh, H. Bao, and Y. Tang, "Coherent optical OFDM: Theory and design," *Optics Express*, vol. 16, no. 2, pp. 841-859, Jan. 21, 2008.
- [SHCJ10] J. P. G. Sterbenz, D. Hutchison, E. K. Çetinkaya, A. Jabbar, J. P. Rohrer, M. Schöller, and P. Smith, "Resilience and survivability in communication networks: Strategies, principles, and survey of disciplines," *Computer Networks*, vol. 54, no. 8, pp. 1245-1265, Jun. 1, 2010.
- [ShFa11] K. Shiomoto and A. Farrel, "Advice on When it is Safe to Start Sending Data on Label Switched Paths Established Using RSVP-TE," Internet Engineering Task Force, Request for Comments (RFC) 6383, Sep. 2011.
- [ShGr04] G. Shen and W. D. Grover, "Segment-based approaches to survivable translucent network design under various ultra-long-haul system reach capabilities," *Journal of Optical Networking*, vol. 3, no. 1, pp. 1-24, Jan. 2004.
- [ShJu07] Q. She and J. P. Jue, "Min-cost tree for multi-resource manycast in mesh networks," *Proceedings, First International Symposium on Advanced Networks and Telecommunication Systems*, Mumbai, India, Dec. 17-18, 2007.
- [SHKJ11] Y. Sone, A. Hirano, A. Kadohata, M. Jinno, and O. Ishida, "Routing and spectrum assignment algorithm maximizes spectrum utilization in optical networks," *Proceedings, European Conference on Optical Communication (ECOC'11)*, Geneva, Switzerland, Sep. 18-22, 2011, Paper Mo.1.K.3.
- [ShSS11] G. Shen, Y. Shen, and H. P. Sardesai, "Impairment-aware lightpath routing and regenerator placement in optical transport networks with physical-layer heterogeneity," *Journal of Lightwave Technology*, vol. 29, no. 18, pp. 2853-2860, Sep. 15, 2011.
- [ShST09] G. Shen, W. V. Sorin, and R. S. Tucker, "Cross-layer design of ASE-noise-limited island-based translucent optical networks," *Journal of Lightwave Technology*, vol. 27, no. 11, pp. 1434-1442, Jun. 1, 2009.
- [ShTu07] G. Shen and R. Tucker, "Translucent optical networks: The way forward," *IEEE Communications Magazine*, vol. 45, no. 2, pp. 48-54, Feb. 2007.
- [ShWi06] F. B. Shepherd and P. J. Winzer, "Selective randomized load balancing and mesh networks with changing demands," *Journal of Optical Networking*, vol. 5, no. 5, pp. 320-339, May 2006.
- [SiGS98] J. M. Simmons, E. L. Goldstein, and A. A. M. Saleh, "On the value of wavelength-add/drop in WDM rings with uniform traffic," *Proceedings, Optical Fiber Communication (OFC'98)*, San Jose, CA, Feb. 22-27, 1998, Paper ThU3.
- [SiGS99] J. M. Simmons, E. L. Goldstein, and A. A. M. Saleh, "Quantifying the benefit of wavelength add-drop in WDM rings with distance-independent and dependent traffic," *Journal of Lightwave Technology*, vol. 17, no. 1, pp. 48-57, Jan. 1999.
- [Simm99] J. M. Simmons, "Hierarchical restoration in a backbone network," *Proceedings, Optical Fiber Communication (OFC'99)*, San Diego, CA, Feb. 21-26, 1999, Paper TuL2.
- [Simm02] J. M. Simmons, "Analysis of wavelength conversion in all-optical express backbone networks," *Proceedings, Optical Fiber Communication (OFC'02)*, Anaheim, CA, Mar. 17-22, 2002, Paper TuG2.
- [Simm04] J. M. Simmons, "An introduction to optical network design and planning," *Optical Fiber Communication (OFC'04)*, Los Angeles, CA, Feb. 22-27, 2004, Short Course 216.
- [Simm05] J. M. Simmons, "On determining the optimal optical reach for a long-haul network," *Journal of Lightwave Technology*, vol. 23, no. 3, pp. 1039-1048, Mar. 2005.
- [Simm06] J. M. Simmons, "Network design in realistic 'all-optical' backbone networks," *IEEE Communications Magazine*, vol. 44, no. 11, pp. 88-94, Nov. 2006.
- [Simm07] J. M. Simmons, "Cost vs. capacity tradeoff with shared mesh protection in optical-bypass-enabled backbone networks," *Proceedings, Optical Fiber Communication/National Fiber Optic Engineers Conference (OFC/NFOEC'07)*, Anaheim, CA, Mar. 25-29, 2007, Paper NThC2.
- [Simm09] J. M. Simmons, "Nodal architectures for shared mesh restoration of IP and wavelength services," *IEEE Photonics Technology Letters*, vol. 21, no. 22, pp. 1677-1679, Nov. 15, 2009.
- [Simm10] J. M. Simmons, "Diversity requirements for selecting candidate paths for alternative-path routing," *Proceedings, Optical Fiber Communication/National Fiber Optic Engineers Conference (OFC/NFOEC'10)*, San Diego, CA, Mar. 21-25, 2010, Paper NThA4.
- [Simm12] J. M. Simmons, "Catastrophic failures in a backbone network," *IEEE Communications Letters*, vol. 16, no. 8, pp. 1328-1331, Aug. 2012.
- [SiSa99] J. M. Simmons and A. A. M. Saleh, "The value of optical bypass in reducing router size in gigabit networks," *Proceedings, IEEE International Conference on Communications (ICC'99)*, Vancouver, British Columbia, Jun. 6-10, 1999, vol. 1, pp. 591-596.
- [SiSa07] J. M. Simmons and A. A. M. Saleh, "Network agility through flexible transponders," *IEEE Photonics Technology Letters*, vol. 19, no. 5, pp. 309-311, Mar. 1, 2007.
- [SiSB01] J. M. Simmons, A. A. M. Saleh, and L. Benmohamed, "Extending Generalized Multi-Protocol Label Switching to configurable all-optical networks," *Proceedings, National Fiber Optic Engineers Conference (NFOEC'01)*, Baltimore, MD, Jul. 8-12, 2001, pp. 14-23.
- [SiSM03] N. K. Singhal, L. H. Sahasrabuddhe, and B. Mukherjee, "Provisioning of survivable multicast sessions against single link failures in optical WDM mesh networks," *Journal of Lightwave Technology*, vol. 21, no. 11, pp. 2587-2594, Nov. 2003.
- [SkCW10] N. Skorin-Kapov, J. Chen, and L. Wosinska, "A new approach to optical networks security: Attack-aware routing and wavelength assignment," *IEEE/ACM Transactions on Networking*, vol. 18, no. 3, pp. 750-760, Jun. 2010.
- [SkNe09] R. A. Skoog and A. L. Neidhardt, "A fast, robust signaling protocol for enabling highly dynamic optical networks," *Proceedings, Optical Fiber Communication/National Fiber Optic Engineers Conference (OFC/NFOEC'09)*, San Diego, CA, Mar. 22-26, 2009, Paper NTuB5.
- [SkWi10] R. A. Skoog and B. J. Wilson, "Transponder pool sizing in highly dynamic translucent WDM optical networks," *Proceedings, Optical Fiber Communication/National Fiber Optic Engineers Conference (OFC/NFOEC'10)*, San Diego, CA, Mar. 21-25, 2010, Paper NTuA3.

- [SKYM12] A. Sano, T. Kobayashi, S. Yamanaka, A. Matsuura, H. Kawakami, Y. Miyamoto, K. Ishihara, and H. Masuda, “102.3-Tb/s (224 x 548-Gb/s) C- and extended L-band all-Raman transmission over 240 km using PDM-64QAM single carrier FDM with digital pilot tone,” *Proceedings, Optical Fiber Communication/National Fiber Optic Engineers Conference (OFC/NFOEC’12)*, Los Angeles, CA, Mar. 4-8, 2012, Paper PDP5C.3.
- [SLAC12] W. Shieh, A. Li, A. Al Amin, and X. Chen, “Space-division multiplexing for optical communications,” *IEEE Photonics Society Newsletter*, vol. 26, no. 5, pp. 4-8, Oct. 2012.
- [SLBN13] S. Spagna, M. Liebsch, R. Baldessari, S. Niccolini, S. Schmid, R. Garropo, K. Ozawa, and J. Awano, “Design principles of an operator-owned highly distributed content delivery network,” *IEEE Communications Magazine*, vol. 51, no. 4, pp. 132-140, Apr. 2013.
- [SoPe02] H. Soliman and C. Peyton, “An efficient routing algorithm for all-optical networks with turn constraints,” *IEEE International Symposium on Modeling, Analysis, and Simulation of Computer and Telecommunications Systems (MASCOTS’02)*, Fort Worth, TX, Oct. 12-16, 2002, pp. 161-166.
- [SPCV09] N. Sambo, Y. Pointurier, F. Cugini, L. Valcarenghi, P. Castoldi, and I. Tomkos, “Lightpath establishment in distributed transparent dynamic optical networks using network kriging,” *Proceedings, European Conference on Optical Communication (ECOC’09)*, Vienna, Austria, Sep. 20-24, 2009, Paper 1.5.3.
- [SPLC09] N. Sambo, C. Pinart, E. Le Rouzic, F. Cugini, L. Valcarenghi, and P. Castoldi, “Signaling and multi-layer probe-based schemes for guaranteeing QoS in GMPLS transparent networks,” *Proceedings, Optical Fiber Communication/National Fiber Optic Engineers Conference (OFC/NFOEC’09)*, San Diego, CA, Mar. 22-26, 2009, Paper OW15.
- [SrSr06] A. Srivastava and A. Srivastava, “Flow aware differential delay routing for next-generation Ethernet over SONET/SDH,” *Proceedings, IEEE International Conference on Communications (ICC’06)*, Istanbul, Turkey, Jun. 11-15, 2006, vol. 1, pp. 140-145.
- [SrSS02] M. Sridharan, R. Srinivasan, and A. K. Somani, “Dynamic routing with partial information in mesh-restorable optical networks,” *Proceedings, Sixth Working Conference on Optical Networks Design and Modelling (ONDM’02)*, Torino, Italy, Feb. 4-6, 2002.
- [StEB08] T. E. Stern, G. Ellinas, and K. Bala, *Multiwavelength Optical Networks: Architectures, Design, and Control*, Second Edition, Cambridge University Press, 2008.
- [Stra12] J. L. Strand, “Integrated route selection, transponder placement, wavelength assignment, and restoration in an advanced ROADM architecture,” *Journal of Optical Communications and Networking*, vol. 4, no. 3, Mar. 2012, pp. 282-288.
- [StSu11] S. Stanic and S. Subramaniam, “Fault localization in all-optical networks with user and supervisory lightpaths,” *IEEE International Conference on Communications (ICC’11)*, Kyoto, Japan, Jun. 5-9, 2011.
- [StWa10] T. A. Strasser and J. L. Wagener, “Wavelength-selective switches for ROADM applications,” *IEEE Journal of Selected Topics in Quantum Electronics*, vol. 16, no. 5, pp. 1150-1157, Sep./Oct. 2010.
- [SuAS96] S. Subramaniam, M. Azizoglu, and A. K. Somani, “All-optical networks with sparse wavelength conversion,” *IEEE/ACM Transactions on Networking*, vol. 4, no. 4, pp. 544-557, Aug. 1996.
- [SuTa84] J. W. Suurballe and R. E. Tarjan, “A quick method for finding shortest pairs of disjoint paths,” *Networks*, vol. 14, pp. 325-336, 1984.
- [Suur74] J. W. Suurballe, “Disjoint paths in a network,” *Networks*, vol. 4, pp. 125-145, 1974.
- [SWIT09] Y. Sone, A. Watanabe, W. Imajuku, Y. Tsukishima, B. Kozicki, H. Takara, and M. Jinno, “Highly survivable restoration scheme employing optical bandwidth squeezing in spectrum-sliced elastic optical path (SLICE) network,” *Proceedings, Optical Fiber Communication/National Fiber Optic Engineers Conference (OFC/NFOEC’09)*, San Diego, CA, Mar. 22-26, 2009, Paper OThO2.
- [SYTR07] L. Shen, X. Yang, A. Todimala, and B. Ramamurthy, “A two-phase approach for dynamic lightpath scheduling in WDM optical networks,” *Proceedings, IEEE International Conference on Communications (ICC’07)*, Glasgow, Scotland, Jun. 24-28, 2007, pp. 2412-2417.
- [Tahr10] O. Tamm, C. Hermsmeyer, and A. M. Rush, “Eco-sustainable system and network architectures for future transport networks,” *Bell Labs Technical Journal*, vol. 14, no. 4, pp. 311-327, Feb. 2010.
- [Take06] A. Takefusa, M. Hayashi, N. Nagatsu, H. Nakada, T. Kudoh, T. Miyamoto, T. Otani, H. Tanaka, M. Suzuki, Y. Sameshima, W. Imajuku, M. Jinno, Y. Takigawa, S. Okamoto, Y. Tanaka, and S. Sekiguchi, “G-lambda: Coordination of a grid scheduler and lambda path service over GMPLS,” *Future Generation Computer Systems*, vol. 22, no. 8, pp. 868-875, Oct. 2006.
- [TaMa80] H. Takahashi and A. Matsuyama, “An approximate solution for the Steiner problem in graphs,” *Mathematica Japonica*, vol. 24, no. 6, pp. 573-577, 1980.
- [TarH13] J. Tapolcai, L. Rónyai, and P.-H. Ho, “Link fault localization using bi-directional m-trails in all-optical mesh networks,” *IEEE Transactions on Communications*, vol. 61, no. 1, pp. 291-300, Jan. 2013.
- [Tayl10] M. G. Taylor, “Algorithms for coherent detection,” *Proceedings, Optical Fiber Communication/National Fiber Optic Engineers Conference (OFC/NFOEC’10)*, San Diego, CA, Mar. 21-25, 2010, Paper OThL4.
- [TCFG95] R. W. Tkach, A. R. Chraplyvy, F. Forghieri, A. H. Gnauck, and R. M. Derosier, “Four-photon mixing and high-speed WDM systems,” *Journal of Lightwave Technology*, vol. 13, no. 5, pp. 841-849, May 1995.
- [TeGE12] B. T. Teipen, H. Griesser, and M. H. Eiselt, “Flexible bandwidth and bit-rate programmability in future optical networks,” *Proceedings, International Conference on Transparent Optical Networks (ICTON’12)*, United Kingdom, Jul. 2-5, 2012, Paper Tu.C2.1.
- [Tekt01] Tektronix, *SONET Telecommunications Standard Primer*, Aug. 2001, www.tek.com/document/primer/sonet-telecommunications-standard-primer.
- [Telc05a] Telcordia Technologies, *NEBS™ Requirements: Physical Protection*, GR-63-CORE, Issue 4, Apr. 2005.
- [Telc09] Telcordia Technologies, *Synchronous Optical Network (SONET) Transport Systems: Common Generic Criteria*, GR-253-CORE, Issue 5, Oct. 2009.

- [TeRo03] J. Teng and G. N. Rouskas, "A comparison of the JIT, JET, and Horizon wavelength reservation schemes on a single OBS node," *Proceedings, The First International Workshop on Optical Burst Switching (WOBS)*, Dallas, TX, Oct. 16, 2003.
- [TGSY11] H. Takara, T. Goh, K. Shibahara, K. Yonenaga, S. Kawai, and M. Jinno, "Experimental demonstration of 400 Gb/s multi-flow, multirate, multi-reach optical transmitter for efficient elastic spectral routing," *Proceedings, European Conference on Optical Communication (ECOC'11)*, Geneva, Switzerland, Sep. 18-22, 2011, Paper Tu.5.A.4.
- [THRW12] J. Tapolcai, P.-H. Ho, L. Rónyai, and B. Wu, "Network-wide local unambiguous failure localization (NWL-UFL) via monitoring trails," *IEEE/ACM Transactions on Networking*, vol. 20, no. 6, pp. 1762-1773, Dec. 2012.
- [ThSo02] S. Thiagarajan and A. K. Somani, "Traffic grooming for survivable WDM mesh networks," *Optical Networks Magazine*, vol. 3, no. 3, pp. 88-98, May/Jun. 2002.
- [THSS11] T. Takagi, H. Hasegawa, K. Sato, Y. Sone, A. Hirano, and M. Jinno, "Disruption minimized spectrum defragmentation in elastic optical path networks that adopt distance adaptive modulation," *Proceedings, European Conference on Optical Communication (ECOC'11)*, Geneva, Switzerland, Sep. 18-22, 2011, Paper Mo.2.K.3.
- [TkCh94] R. W. Tkach and A. R. Chraplyvy, "Dispersion and nonlinear effects in lightwave systems," *Proceedings, 7th Annual Meeting of the IEEE LEOS*, Boston, MA, Oct. 31-Nov. 3, 1994, vol. 1, pp. 192-193.
- [TPBH09] R. S. Tucker, R. Parthiban, J. Baliga, K. Hinton, R. W. A. Ayre, and W. V. Sorin, "Evolution of WDM optical IP networks: A cost and energy perspective," *Journal of Lightwave Technology*, vol. 27, no. 3, pp. 243-252, Feb. 1, 2009.
- [TrCV13] J. Triay, C. Cervello-Pastor, and V. M. Vokkarane, "Analytical blocking probability model for hybrid immediate and advance reservations in optical WDM networks," *IEEE/ACM Transactions on Networking*, vol. 21, no. 6, pp. 1890-1903, Dec. 2013.
- [Tuck11a] R. S. Tucker, "Green optical communications—Part I: Energy limitations in transport," *IEEE Journal of Selected Topics in Quantum Electronics*, vol. 17, no. 2, pp. 245-260, Mar./Apr. 2011.
- [Tuck11b] R. S. Tucker, "Green optical communications—Part II: Energy limitations in networks," *IEEE Journal of Selected Topics in Quantum Electronics*, vol. 17, no. 2, pp. 261-274, Mar./Apr. 2011.
- [TuMH07] R. S. Tucker, S. S. Mughal, and K. Hinton, "In search of the elusive all-optical packet buffer," *Proceedings, International Conference on Photonics in Switching*, San Francisco, CA, Aug. 19-22, 2007, pp. 3-4.
- [TWHR11] J. Tapolcai, B. Wu, P.-H. Ho, and L. Rónyai, "A novel approach for failure localization in all-optical mesh networks," *IEEE/ACM Transactions on Networking*, vol. 19, no. 1, pp. 275-285, Feb. 2011.
- [TzZT03] A. Tzanakaki, I. Zacharopoulos, and I. Tomkos, "Optical add/drop multiplexers and optical cross-connects for wavelength routed networks," *Proceedings, International Conference on Transparent Optical Networks (ICTON'03)*, Warsaw, Poland, Jun. 29-Jul. 3, 2003, pp. 41-46.
- [UCSB13] UC Santa Barbara, The Institute for Energy Efficiency, "ICT Core Networks: Towards a Scalable, Energy-Efficient Future," Roundtable Report, Jun. 2013.
- [VaAa87] P. J. M. van Laarhoven and E. H. L. Aarts, *Simulated Annealing: Theory and Applications*, Boston, MA: D. Reidel Publishing Co., 1987.
- [VAAD01] W. Van Parys, P. Arijs, O. Antonis, and P. Demeester, "Quantifying the benefits of selective wavelength regeneration in ultra long-haul WDM networks," *Proceedings, Optical Fiber Communication (OFC'01)*, Anaheim, CA, Mar. 19-22, 2001, Paper TuT4.
- [VaLe09] J. P. Vasseur and J. L. Le Roux, "Path Computation Element (PCE) Communication Protocol (PCEP)," Internet Engineering Task Force, Request for Comments (RFC) 5440, Mar. 2009.
- [VaMa12] J. Varia and S. Mathew, "Overview of Amazon Web Services," White Paper, Oct. 2012.
- [VapD04] J. Vasseur, M. Pickavet, and P. Demeester, *Network Recovery: Protection and Restoration of Optical, SONET-SDH, IP, and MPLS*, San Francisco, CA: Morgan Kaufmann, 2004.
- [Verb05] S. Verbrugge, S. Pasqualini, F.-J. Westphal, M. Jäger, A. Iselt, A. Kirstdäter, R. Chahine, D. Colle, M. Pickavet and P. Demeester, "Modeling operational expenditures for telecom operators," *Proceedings, Conference on Optical Network Design and Modeling (ONDM'05)*, Milan, Italy, Feb. 7-9, 2005, pp. 455-466.
- [Voss92] S. Voss, "Steiner's problem in graphs: Heuristic methods," *Discrete Applied Mathematics*, vol. 40, no. 1, 1992, pp. 45-72.
- [VSAJ09] D. van den Borne, V. A. J. M. Sleijfer, M. S. Alfiad, S. L. Jansen, and T. Wuth, "POLMUX-QPSK modulation and coherent detection: The challenge of long-haul 100G transmission," *Proceedings, European Conference on Optical Communication (ECOC'09)*, Vienna, Austria, Sep. 20-24, 2009, Paper 3.4.1.
- [VTWM12] C. S. K. Vadrevu, M. Tornatore, R. Wang, and B. Mukherjee, "Integrated design for backup capacity sharing between IP and wavelength services in IP-over-WDM networks," *Journal of Optical Communications and Networking*, vol. 4, no. 1, pp. 53-65, Jan. 2012.
- [VZBL09] J. P. Vasseur, R. Zhang, N. Bitar, and J. L. Le Roux, "A Backward-Recursive PCE-Based Computation (BRPC) Procedure To Compute Shortest Constrained Inter-Domain Traffic Engineering Label Switched Paths," Internet Engineering Task Force, Request for Comments (RFC) 5441, Apr. 2009.
- [WaCa12] Y. Wang and X. Cao, "Multi-granular optical switching: A classified overview for the past and future," *IEEE Communications Surveys & Tutorials*, vol. 14, no. 3, pp. 698-713, Third Quarter, 2012.
- [WaMu13] R. Wang and B. Mukherjee, "Provisioning in elastic optical networks with non-disruptive defragmentation," *Journal of Lightwave Technology*, vol. 31, no. 15, pp. 2491-2500, Aug. 1, 2013.
- [WaQY11] J. Wang, C. Qiao, and H. Yu, "On progressive network recovery after a major disruption," *Proceedings, IEEE INFOCOM 2011*, Shanghai, China, Apr. 10-15, 2011, pp. 1925-1933.
- [WASG96] R. E. Wagner, R. C. Alferness, A. A. M. Saleh, and M. S. Goodman, "MONET: Multiwavelength optical networking," *Journal of Lightwave Technology*, vol. 14, no. 6, pp. 1349-1355, Jun. 1996.
- [Waxm88] B. M. Waxman, "Routing of multipoint connections," *IEEE Journal on Selected Areas in Communications*, vol. 6, no. 9, pp. 1617-1622, Dec. 1988.

- [Way12] W. I. Way, "Optimum architecture for M×N multicast switch-based colorless, directionless, contentionless, and flexible-grid ROADM," *Proceedings, Optical Fiber Communication/National Fiber Optic Engineers Conference (OFC/NFOEC'12)*, Los Angeles, CA, Mar. 4-8, 2012, Paper NW3F.5.
- [WBSK03] S. T. Wilkinson, E. B. Basch, V. Shukla, P. Kubat, S. Raguram, and P. Limaye, "SONET mesh network architecture," *Proceedings, National Fiber Optic Engineers Conference (NFOEC'03)*, Orlando, FL, Sep. 7–11, 2003, pp. 293-302.
- [WeCZ05] Y. Wen, V. W. S. Chan, and L. Zheng, "Efficient fault-diagnosis algorithms for all-optical WDM networks with probabilistic link failures," *Journal of Lightwave Technology*, vol. 23, no. 10, pp. 3358-3371, Oct. 2005.
- [Welc06] D. F. Welch, F. A. Kish, R. Nagarajan, C. H. Joyner, R. P. Schneider, Jr., V. G. Dominic, M. L. Mitchell, S. G. Grubb, T.-K. Chiang, D. D. Perkins, and A. C. Nilsson, "The realization of large-scale photonic integrated circuits and the associated impact on fiber-optic communication systems," *Journal of Lightwave Technology*, vol. 24, no. 12, pp. 4674-4683, Dec. 2006.
- [WFJA10] S. L. Woodward, M. D. Feuer, J. L. Jackel, and A. Agarwal, "Massively-scaleable highly-dynamic optical node design," *Proceedings, Optical Fiber Communication/National Fiber Optic Engineers Conference (OFC/NFOEC'10)*, San Diego, CA, Mar. 21-25, 2010, Paper JThA18.
- [WFKP12] S. L. Woodward, M. D. Feuer, I. Kim, P. Palacharla, X. Wang, and D. Bihon, "Service velocity: Rapid provisioning strategies in optical ROADM networks," *Journal of Optical Communications and Networking*, vol. 4, no. 2, pp. 92-98, Feb. 2012.
- [WGPD08] X. Wang, L. Guo, L. Pang, J. Du, and F. Jin, "Segment protection algorithm with load balancing for multicasting WDM mesh networks," *10th International Conference on Advanced Communication Technology (ICACT)*, Pyeongchang, Korea, Feb. 17-20, 2008, vol. 3, pp. 2013–2016.
- [WHYT11] B. Wu, P.-H. Ho, K. L. Yeung, J. Tapolcai, and H. T. Mouftah, "Optical layer monitoring schemes for fast link failure localization in all-optical networks," *IEEE Communications Surveys & Tutorials*, vol. 13, no. 1, pp. 114-125, First Quarter, 2011.
- [Will06] A. E. Willner, "The optical network of the future: Can optical performance monitoring enable automated, intelligent and robust systems?" *Optics and Photonics News*, pp. 30-35, Mar. 2006.
- [Winz12] P. J. Winzer, "High-spectral-efficiency optical modulation formats," *Journal of Lightwave Technology*, vol. 30, no. 24, pp. 3824-3835, Dec. 15, 2012.
- [Winz13] P. J. Winzer, "Spatial multiplexing: The next frontier in network capacity scaling," *Proceedings, European Conference on Optical Communication (ECOC'13)*, London, UK, Sep. 22-26, 2013, Paper We.1.D.1.
- [WiYW09] A. E. Willner, J. Y. Yang, and X. Wu, "Optical performance monitoring to enable robust and reconfigurable optical high-capacity networks," *Proceedings, IEEE Military Communications Conference (MILCOM 2009)*, Boston, MA, Oct. 18-21, 2009.
- [WLFL05] B. Wang, T. Li, X. Luo, Y. Fan, and C. Xin, "On service provisioning under a scheduled traffic model in reconfigurable WDM optical networks," in *Proceedings, IEEE 2nd International Conference on Broadband Networks (BroadNets 2005)*, Boston, MA, Oct. 3-7, 2005, vol. 1, pp. 13–22.
- [WLWZ13] M. Wang, S. Li, E. W. M. Wong, and M. Zukerman, "Evaluating OBS by effective utilization," *IEEE Communications Letters*, vol. 17, no. 3, pp. 576-579, Mar. 2013.
- [WLYK04] D. Wang, G. Li, J. Yates, and C. Kalmanek, "Efficient segment-by-segment restoration," *Proceedings, Optical Fiber Communication (OFC'04)*, Los Angeles, CA, Feb. 22-27, 2004, Paper TuP2.
- [WSGM03] I. Widjaja, I. Sanjee, R. Giles, and D. Mitra, "Light core and intelligent edge for a flexible, thin-layered, and cost-effective optical transport network," *IEEE Communications Magazine*, vol. 41, no. 5, pp. S30-S36, May 2003.
- [WuSF06] M. C. Wu, O. Solgaard, and J. E. Ford, "Optical MEMS for lightwave communication," *Journal of Lightwave Technology*, vol. 24, no. 12, pp. 4433-4454, Dec. 2006.
- [WZBC13] S. L. Woodward, W. Zhang, B. G. Bathula, G. Choudhury, R. K. Sinha, M. D. Feuer, J. Strand, and A. L. Chiu, "Asymmetric optical connections for improved network efficiency," *Journal of Optical Communications and Networking*, vol. 5, no. 11, pp. 1195-1201, Nov. 2013.
- [XuQX07] D. Xu, C. Qiao, and Y. Xiong, "Ultrafast potential-backup-cost (PBC)-based shared path protection schemes," *Journal of Lightwave Technology*, vol. 25, no. 8, pp. 2251-2259, Aug. 2007.
- [XuXQ03] D. Xu, Y. Xiong, and C. Qiao, "Novel algorithms for shared segment protection," *IEEE Journal on Selected Areas in Communications*, vol. 21, no. 8, pp. 1320-1331, Oct. 2003.
- [XXQL03] D. Xu, Y. Xiong, C. Qiao, and G. Li, "Trap avoidance and protection schemes in networks with shared risk link groups," *Journal of Lightwave Technology*, vol. 21, no. 11, pp. 2683-2693, Nov. 2003.
- [YahS08] I. Yagyu, H. Hasegawa, and K. Sato, "An efficient hierarchical optical path network design algorithm based on a traffic demand expression in a Cartesian product space," *IEEE Journal on Selected Areas in Communications*, vol. 26, no. 6, pp. 22-31, Aug. 2008.
- [YaRa05a] X. Yang and B. Ramamurthy, "Dynamic routing in translucent WDM optical networks: The intradomain case," *Journal of Lightwave Technology*, vol. 23, no. 3, pp. 955-971, Mar. 2005.
- [YaRa05b] W. Yao and B. Ramamurthy, "Survivable traffic grooming with path protection at the connection level in WDM mesh networks," *Journal of Lightwave Technology*, vol. 23, no. 10, pp. 2846-2853, Oct. 2005.
- [YaWa08] Y. Yang and J. Wang, "Design guidelines for routing metrics in multihop wireless networks," *Proceedings, IEEE INFOCOM 2008*, Phoenix, AZ, Apr. 15-17, 2008, pp. 1615-1623.
- [YaYo05] H. Yang and S. J. B. Yoo, "All-optical variable buffering strategies and switch fabric architectures for future all-optical data routers," *Journal of Lightwave Technology*, vol. 23, no. 10, pp. 3321-3330, Oct. 2005.
- [YeKa03] E. Yetginer and E. Karasan, "Regenerator placement and traffic engineering with restoration in GMPLS networks," *Photonic Network Communications*, vol. 6, no. 2, pp. 139-149, Sep. 2003.
- [YeLR11] E. Yetginer, Z. Liu, and G. N. Rouskas, "Fast exact ILP decompositions for ring RWA," *Journal of Optical Communications and Networking*, vol. 3, no. 7, pp. 577-586, Jul. 2011.
- [Yen71] J. Y. Yen, "Finding the K shortest loopless paths in a network," *Management Science*, vol. 17, no. 11, pp. 712-716, Jul. 1971.

- [YeTG13] S. H. Yeganeh, A. Tootoonchian, and Y. Ganjali, "On scalability of Software-Defined Networking," *IEEE Communications Magazine*, vol. 51, no. 2, pp. 136-141, Feb. 2013.
- [YuMG99] X. Yuan, R. Melhem, and R. Gupta, "Distributed path reservation algorithms for multiplexed all-optical interconnection networks," *IEEE Transactions on Computers*, vol. 48, no. 12, pp. 1-9, Dec. 1999.
- [YZZX13] Y. Yin, H. Zhang, M. Zhang, M. Xia, Z. Zhu, S. Dahlfort, and S. J. B. Yoo, "Spectral and spatial 2D fragmentation-aware routing and spectrum assignment algorithms in elastic optical networks," *Journal of Optical Communications and Networking*, vol. 5, no. 10, pp. A100-A106, Oct. 2013.
- [ZAJM00] H. Zang, J. P. Jue, and B. Mukherjee, "A review of routing and wavelength assignment approaches for wavelength-routed optical WDM networks," *Optical Networks Magazine*, vol. 1, no. 1, pp. 47-60, Jan. 2000.
- [ZCTM10] Y. Zhang, P. Chowdhury, M. Tornatore, and B. Mukherjee, "Energy efficiency in telecom optical networks," *IEEE Communications Surveys & Tutorials*, vol. 12, no. 4, pp. 441-458, Fourth Quarter, 2010.
- [ZDMM13] G. Zhang, M. De Leenheer, A. Morea, and B. Mukherjee, "A survey on OFDM-based elastic core optical networking," *IEEE Communications Surveys and Tutorials*, vol. 15, no. 1, pp. 65-87, First Quarter, 2013.
- [ZENS08] G. Zervas, E. Escalona, R. Nejabati, D. Simeonidou, G. Carrozzo, N. Ciulli, B. Belter, A. Binczewski, M. Poznan, A. Tzanakaki, and G. Markidis, "PHOSPHORUS grid-enabled GMPLS control plane (G²MPLS): Architectures, services, and interfaces," *IEEE Communications Magazine*, vol. 46, no. 6, pp. 128-137, Jun. 2008.
- [ZFYL12] B. Zhu, J. M. Fini, M. F. Yan, X. Liu, S. Chandrasekhar, T. F. Taunay, M. Fishteyn, E. M. Monberg, and F. V. Dimarcello, "High-capacity space-division-multiplexed DWDM transmissions using multicore fiber," *Journal of Lightwave Technology*, vol. 30, no. 4, pp. 486-492, Feb. 15, 2012.
- [ZhFB07] X. Zhou, M. Feuer, and M. Birk, "Fast control of inter-channel SRS and residual EDFA transients using a multiple-wavelength forward-pumped discrete Raman amplifier," *Proceedings, Optical Fiber Communication/National Fiber Optic Engineers Conference (OFC/NFOEC'07)*, Anaheim, CA, Mar. 25-29, 2007, Paper OMN4.
- [ZhMM13] S. Zhang, C. Martel, and B. Mukherjee, "Dynamic traffic grooming in elastic optical networks," *IEEE Journal on Selected Areas in Communications*, vol. 31, no. 1, pp. 4-12, Jan. 2013.
- [ZhMo02] J. Zheng and H. T. Mouftah, "Routing and wavelength assignment for advance reservation in wavelength-routed WDM optical networks," *Proceedings, IEEE International Conference on Communications (ICC'02)*, New York, NY, Apr. 28-May 2, 2002, vol. 5, pp. 2722-2726.
- [ZhMu03] K. Zhu and B. Mukherjee, "A review of traffic grooming in WDM optical networks: Architectures and challenges," *Optical Networks Magazine*, vol. 4, no. 3, pp. 55-64, Mar./Apr. 2003.
- [ZhNe12] X. Zhou and L. E. Nelson, "400G WDM transmission on the 50 GHz grid for future optical networks," *Journal of Lightwave Technology*, vol. 30, no. 24, pp. 3779-3792, Dec. 15, 2012.
- [ZhNM13] X. Zhou, L. E. Nelson, and P. Magill, "Rate-adaptable optics for next generation long-haul transport networks," *IEEE Communications Magazine*, vol. 51, no. 3, pp. 41-49, Mar. 2013.
- [ZhQi98] X. Zhang and C. Qiao, "Wavelength assignment for dynamic traffic in multi-fiber WDM networks," *Proceedings, International Conference on Computer Communications and Networks (ICCCN'98)*, Lafayette, LA, Oct. 12-15, 1998, pp. 479-485.
- [ZhSB12] J. Zhao, S. Subramaniam, and M. Brandt-Pearce, "Cross-layer RWA in translucent optical networks," *Proceedings, IEEE International Conference on Communications (ICC'12)*, Ottawa, Canada, Jun. 10-15, 2012, pp. 3079-3083.
- [ZhZM05] K. Zhu, H. Zhu, and B. Mukherjee, *Traffic Grooming in Optical WDM Mesh Networks*, New York, NY: Springer, 2005.
- [ZhZM06] J. Zhang, K. Zhu, and B. Mukherjee, "Backup reprovisioning to remedy the effect of multiple link failures in WDM mesh networks," *IEEE Journal on Selected Areas in Communications*, vol. 24, no. 8, pp. 57-67, Aug. 2006.
- [ZLZA13] Z. Zhu, W. Lu, L. Zhang, and N. Ansari, "Dynamic service provisioning in elastic optical networks with hybrid single-/multi-path routing," *Journal of Lightwave Technology*, vol. 31, no. 1, pp. 15-22, Jan. 1, 2013.
- [ZTTD02] Y. Zhang, K. Taira, H. Takagi, and S. K. Das, "An efficient heuristic for routing and wavelength assignment in optical WDM networks," *Proceedings, IEEE International Conference on Communications (ICC'02)*, New York, NY, Apr. 28-May 2, 2002, pp. 2734-2739.
- [ZZLH11] Y. Zhang, X. Zheng, Q. Li, N. Hua, Y. Li, and H. Zhang, "Traffic grooming in spectrum-elastic optical path networks," *Proceedings, Optical Fiber Communication/National Fiber Optic Engineers Conference (OFC/NFOEC'11)*, Los Angeles, CA, Mar. 6-10, 2011, Paper OTu11.
- [ZZZM03] H. Zhu, H. Zang, K. Zhu, and B. Mukherjee, "A novel generic graph model for traffic grooming in heterogeneous WDM mesh networks," *IEEE/ACM Transactions on Networking*, vol. 11, no. 2, pp. 285-299, Apr. 2003.